

Assortments & Kits

6982F Vinyl Terminal Kit | 83 Pcs.



83 Pieces
in a handy
reusable, blister,
slide-back box

Part#	Description	Pcs
2000	22-18 AWG #6 Stud Rings	5
2002	22-18 AWG #10 Stud Rings	5
2051	22-18 AWG #8 Stud Spades	5
2052	22-18 AWG #10 Stud Spades	4
2102	22-18 AWG .250 FM Disconnects	5
2103	22-18 AWG .250 M Disconnects	4
2060	22-18 AWG Butt Connectors	4
2006	16-14 AWG #6 Stud Rings	5
2007	16-14 AWG #8 Stud Rings	5
2008	16-14 AWG #10 Stud Rings	5
2054	16-14 AWG #8 Stud Spades	5
2055	16-14 AWG #10 Stud Spades	5
2105	16-14 AWG .250 FM Disconnects	4
2106	16-14 AWG .250 M Disconnects	4
2061	16-14 AWG Butt Connectors	5
2014	12-10 AWG #10 Stud Rings	4
2015	12-10 AWG 1/4" Stud Rings	4
2062	12-10 AWG Butt Connectors	5

6986F Vinyl Terminal Kit | 180 Pcs.



180 Pieces
of common
electrical
terminals in an
attractive clear
carrying case.

Part#	Description	Pcs
2000	22-18 AWG #6 Stud Rings	11
2001	22-18 AWG #8 Stud Rings	12
2002	22-18 AWG #10 Stud Rings	11
2050	22-18 AWG #6 Stud Spades	10
2051	22-18 AWG #8 Stud Spades	12
2052	22-18 AWG #10 Stud Spades	11
2102	22-18 AWG .250 FM Disconnects	12
2060	22-18 AWG Butt Connectors	11
2006	16-14 AWG #6 Stud Rings	11
2007	16-14 AWG #8 Stud Rings	13
2008	16-14 AWG #10 Stud Rings	12
2009	16-14 AWG 1/4" Stud Rings	9
2105	16-14 AWG .250 FM Disconnects	11
2106	16-14 AWG .250 M Disconnects	11
2061	16-14 AWG Butt Connectors	11
2107	12-10 AWG .250 FM Disconnects	4
2108	12-10 AWG .250 M Disconnects	4
2062	22-10 AWG Butt Connector	4
6009	18 Compartment Lockable Case	

□ See pages 145-152 for
tools and testers.

6991F Vinyl Terminal Kit w/ Tool | 26 Pcs.



Part#	Description	Pcs
2002	22-18 AWG #10 Stud Rings	3
2052	22-18 AWG #10 Stud Spades	3
2060	22-18 AWG Butt Connectors	3
2008	16-14 AWG #10 Stud Rings	3
2055	16-14 AWG #10 Stud Spades	3
2105	16-14 AWG .250 FM Disconnects	3
2106	16-14 AWG .250 M Disconnects	3
2061	16-14 AWG Butt Connectors	4
5002F	Crimper/Stripper Tool	1

Kit is in a reusable slide-back box

Economy Crimper and
wire stripper tool and assorted
terminals in a reusable box.

6992F Deluxe Vinyl Terminal Kit w/ Tool | 101 Pcs.



**Crimper/
Stripper**
with terminal
assortment in
a durable case.

Part#	Description	Pcs
2000	22-18 AWG #6 Stud Rings	15
2050	22-18 AWG #6 Stud Spades	10
2102	22-18 AWG .250 FM Disconnects	5
2103	22-18 AWG .250 M Disconnects	5
2060	22-18 AWG Butt Connectors	10
2006	16-14 AWG #6 Stud Rings	10
2007	16-14 AWG #8 Stud Rings	10
2053	16-14 AWG #6 Stud Spades	10
2105	16-14 AWG .250 FM Disconnects	5
2106	16-14 AWG .250 M Disconnects	5
2061	16-14 AWG Butt Connectors	10
2012	12-10 AWG #6 Stud Rings	2
2062	12-10 AWG Butt Connectors	3
5003F	Deluxe Crimper/Stripper Tool	1

Kit is in a re-closable case

6985F Twist Connect Kit | 50 Pcs.



Part#	Description	Pcs
71	22-16 AWG Gray	10
72	22-14 AWG Blue	10
73	22-14 AWG Orange	10
74	18-12 AWG Yellow	10
76	18-10 AWG Red	10

Twist Connects
Assortment of twist
connects in a re-closeable
container. For more detailed
information see Twist
Connectors on page 16.

6990F Professional Terminal Kit | 2200 Pcs.



Professional Terminal Kit Large terminal assortment available in a durable metal case. Product map included.

Part#	Description	Pcs	Part#	Description	Pcs
2124	22-18 AWG .157 Vinyl Receptacles	100	2112	16-14 AWG .157 Vinyl Receptacles	100
2125	22-18 AWG .157 Vinyl Bullets	100	2111	16-14 AWG .157 Vinyl Bullets	100
2060	22-18 AWG Vinyl Butt Connectors	100	2116	16-14 AWG .250 FI Nylon FM Disconnects	100
1220	18-14 AWG Blue Quick Splices	50	2117	16-14 AWG .250 FI Nylon M Disconnects	100
2008	16-14 AWG #10 Stud Vinyl Rings	100	2014	12-10 AWG #10 Stud Vinyl Rings	100
2009	16-14 AWG 1/4" Stud Vinyl Rings	100	2015	12-10 AWG 1/4" Stud Vinyl Rings	100
2011	16-14 AWG 3/8" Stud Vinyl Rings	100	2017	12-10 AWG 3/8" Stud Vinyl Rings	100
2054	16-14 AWG #8 Stud Vinyl Spades	100	2107	12-10 AWG .250 Vinyl FM Disconnects	100
2055	16-14 AWG #10 Stud Vinyl Spades	100	2108	12-10 AWG .250 Vinyl M Disconnects	100
2105	16-14 AWG .250 Vinyl FM Disconnects	100	2062	12-10 AWG Vinyl Butt Connectors	100
2106	16-14 AWG .250 Vinyl M Disconnects	100	1217	12-10 AWG Nylon Closed-End Connectors	50
2061	16-14 AWG Vinyl Butt Connectors	100	6005	24 Compartment Lockable Metal Box	

4796F Bungee Cord Kit | 6 Pcs.



Pcs	Length	Color
2 pcs	18"	Yellow
2 pcs	24"	Blue
1 pc	32"	Red
1 pc	40"	Green

Heavy Duty Bungee Cords in multiple lengths. Safety cap hooks, durable and reusable.



6966F HVAC/R Wiring Kit | 666 Pcs.



HVAC/R Wiring Kit Large assortment of terminals, twist on connectors, compressor leads and hi-temp terminals for HVAC/R applications. Product map included.

Part#	Description	Pcs
4702	4" 18Lb. UV Black Nylon Wire Ties	100
4706	7.5" 50Lb. UV Black Nylon Wire Ties	100
72	22-14 AWG Blue Twist Connects	25
73	22-14 AWG Orange Twist Connects	15
74	18-12 AWG Yellow Twist Connects	15
1211	.250 Non-Insul. FM to Double M Flat Adapters	35
1116	16-14 AWG .250 Non-Insul. FM Flag Terminals	35
1119	12-8 AWG .250 Non-Insul. Compressor Terminals	35
2060	22-18 AWG Vinyl Butt Connectors	35
2008	16-14 AWG #10 Stud Vinyl Rings	35
2054	16-14 AWG #8 Stud Vinyl Spades	35
2104	16-14 AWG .187 Vinyl FM Disconnects	35
2105	16-14 AWG .250 Vinyl FM Disconnects	35
2061	16-14 AWG Vinyl Butt Connectors	35
2107	12-10 AWG .250 Vinyl FM Disconnects	35
2062	12-10 AWG Vinyl Butt Connectors	35
226F	36" H.D.Silicone Rubber Test Leads 1 Red/1 Blk	1 Set
2520F	(3) 10 AWG Motor Wire Compressor Leads w/ Flags & (3) 12-10 AWG Heat Shrink CS Butt Connectors	1 Set (9pcs)
2521F	(3) 10 AWG Motor Wire Compressor Leads w/ Rings & (3) 12-10 AWG Heat Shrink CS Butt Connectors	1 Set (9pcs)
3130F	(3) 10 AWG Motor Wire Leads - 10" Length & (3) 12-10 AWG Heat Shrink CS Butt Connectors	1 Set (6pcs)
6006	24 Compartment Lockable Plastic Box	

Assortments & Kits

The **Ultimate Installer BOX**

6935F



23

More Than
2500
Terminals and
Connectors

Everything You Need Right at Your Fingertips! We've put more than 2500 of the most commonly used, high-quality terminals and connectors in a rugged case designed to last.

Our durable box uses **Infinite Divider System** organizer drawers. The drawers are **set up at the factory** and ready to go, but, if you want to reorganize a little, you have the flexibility. Not only can you move the dividers anywhere within each row, but we also supply extra dividers so you can organize the drawers anyway you choose.

Our **rugged case** not only organizes and protects each drawer, but its durable plastic shell is **designed for stacking** – the interlocking design means you can stack multiple cases, and never worry about them sliding.

Have a project at the other end of the building? Just pull out the drawer you need and carry it with you. **Durable integrated handles and latches** means you can just pull the drawer and go. Your terminals won't jump into other sections, and you won't need to keep going back to the box for more.


Itemized contents of each drawer listed on opposite page.

Ultimate Installer Box | Drawer 1



You talked, we listened. And, we created the Ultimate Installer Box just for you.

Ultimate Installer Box | Drawer 2



The perfect assortment of our most commonly used terminals and connectors.

Ultimate Installer Box | Drawer 3



Every drawer is organized to make finding the right part quick and easy.

Ultimate Installer Box | Drawer 4



Heavy duty construction for durability.

Ultimate Installer Box | Drawer 5



Every drawer is removable for portability.

98% FILL RATE AND INCREASED PROFITABILITY – GUARANTEED

6935F The Ultimate Installer Box | Over 2500 Pcs.

- Every commonly used wiring accessory in one easy to access box.
- Each size terminal has its own drawer.
- Removable drawers.
- Product maps included for each drawer.
- See pages 145-152 for Tools & Testers.

Drawer No. 1		
Part#	Description	Pcs
2001	22-18 AWG #8 Stud Vinyl Rings	50
2002	22-18 AWG #10 Stud Vinyl Rings	50
2051	22-18 AWG #8 Stud Vinyl Spades	50
2052	22-18 AWG #10 Stud Vinyl Spades	50
2102	22-18 AWG .250 Vinyl FM Disconnects	100
2103	22-18 AWG .250 Vinyl M Disconnects	50
2060	22-18 AWG Vinyl Butt Connectors	100
2114	22-18 AWG .250 FI Nylon FM Disconnects	100
2115	22-18 AWG .250 FI Nylon M Disconnects	50
2065	22-18 AWG Nylon Butt Connectors	100
1216	22-14 AWG Nylon Closed-End Connectors	50
1220-2	22-16 AWG Red Quick Splices	25

Drawer No. 2		
Part#	Description	Pcs
2007	16-14 AWG #8 Stud Vinyl Rings	50
2008	16-14 AWG #10 Stud Vinyl Rings	50
2054	16-14 AWG #8 Stud Vinyl Spades	50
2055	16-14 AWG #10 Stud Vinyl Spades	50
2105	16-14 AWG .250 Vinyl FM Disconnects	100
2106	16-14 AWG .250 Vinyl M Disconnects	50
2061	16-14 AWG Vinyl Butt Connectors	100
2116	16-14 AWG .250 FI Nylon FM Disconnects	100
2117	16-14 AWG .250 FI Nylon M Disconnects	50
2066	16-14 AWG Nylon Butt Connectors	100
1220-1	18-14 AWG No-Stop White Quick Splices	25
1220	18-14 AWG Blue Quick Splices	25

Drawer No. 3		
Part#	Description	Pcs
2014	12-10 AWG #10 Stud Vinyl Rings	25
2015	12-10 AWG 1/4" Stud Vinyl Rings	25
2057	12-10 AWG #8 Stud Vinyl Spades	25
2058	12-10 AWG #10 Stud Vinyl Spades	25
2107	12-10 AWG .250 Vinyl FM Disconnects	50
2108	12-10 AWG .250 Vinyl M Disconnects	25
2062	12-10 AWG Vinyl Butt Connectors	50
2118	12-10 AWG .250 FI Nylon FM Disconnects	25
2119	12-10 AWG .250 FI Nylon M Disconnects	25
1217	12-10 AWG Nylon Closed-End Connectors	25
1219	12-10 AWG Yellow Quick Splices	15

Drawer No. 4		
Part#	Description	Pcs
4402	3/8" Mounting Hole - Black Vinyl Grommets	25
4405	5/8" Mounting Hole - Black Vinyl Grommets	25
4408	1" Mounting Hole - Black Vinyl Grommets	15
4004-1	3/16" I.D. Clear Heat Shrink - 4" Length	5
4004-2	3/16" I.D. Red Heat Shrink - 4" Length	5
4004-5	3/16" I.D. Green Heat Shrink - 4" Length	5
4004-6	3/16" I.D. Blue Heat Shrink - 4" Length	5
4004-7	3/16" I.D. Yellow Heat Shrink - 4" Length	5
4005-1	1/4" I.D. Clear Heat Shrink - 4" Length	5
4005-2	1/4" I.D. Red Heat Shrink - 4" Length	5
4005-5	1/4" I.D. Green Heat Shrink - 4" Length	5
4005-6	1/4" I.D. Blue Heat Shrink - 4" Length	5
4005-7	1/4" I.D. Yellow Heat Shrink - 4" Length	5
4006-1	3/8" I.D. Clear Heat Shrink - 4" Length	3
4006-2	3/8" I.D. Red Heat Shrink - 4" Length	3
4006-5	3/8" I.D. Green Heat Shrink - 4" Length	3
4006-6	3/8" I.D. Blue Heat Shrink - 4" Length	3
4006-7	3/8" I.D. Yellow Heat Shrink - 4" Length	3
4004-0	3/16" I.D. Black Heat Shrink - 4" Length	25
4005-0	1/4" I.D. Black Heat Shrink - 4" Length	25
4006-0	3/8" I.D. Black Heat Shrink - 4" Length	10
5021F	Technician's Pocket Torch Angled Head	1
2370	22-18 AWG Heat Shrink CS Butt Connectors	15
2371	16-14 AWG Heat Shrink CS Butt Connectors	15
2372	12-10 AWG Heat Shrink CS Butt Connectors	15
4604	3/8" I.D. Natural Nylon Cable Clamps	15
4606	1/2" I.D. Natural Nylon Cable Clamps	10

Drawer No. 5		
Part#	Description	Pcs
4725	7.5" 50Lb. UV Black Screw Mount Wire Ties	25
304705-1	7.5" 250Lb. Stainless Steel Wire Ties	25
4708	11.5" 50Lb. UV Black Nylon Wire Ties	50
4707	11.5" 50Lb. Natural Nylon Wire Ties	50
4706	7.5" 50Lb. UV Black Nylon Wire Ties	50
4705	7.5" 50Lb. Natural Nylon Wire Ties	50
4702	4" 18Lb. UV Black Nylon Wire Ties	100
4701	4" 18Lb. Natural Nylon Wire Ties	100



See our quality wire cutter products on pages 149-150

Assortments & Kits

6967F HVAC/R Master Wiring Kit | Over 1450 Pcs.



HVAC/R Master Wiring Kit

Larger assortment of terminals, twist on connectors, compressor leads and hi-temp terminals for HVAC/R applications. Product map included.

Part#	Description	Pcs
4702	4" 18Lb. UV Black Nylon Wire Ties	100
4706	7.5" 50Lb. UV Black Nylon Wire Ties	100
73	22-14 AWG Orange Twist Connects	40
1211	.250 Non-Insul. FM to Double M Flat Adapters	100
1116	16-14 AWG .250 Non-Insul. FM Flag Terminals	100
1119	12-8 AWG .250 Non-Insul. Compressor Terminals	100
2060	22-18 AWG Vinyl Butt Connectors	100
2008	16-14 AWG #10 Stud Vinyl Rings	100
2054	16-14 AWG #8 Stud Vinyl Spades	100
2105	16-14 AWG .250 Vinyl FM Disconnects	200
2109	16-14 AWG .250 Vinyl Piggyback Terminals	100
2061	16-14 AWG Vinyl Butt Connectors	100
2107	12-10 AWG .250 Vinyl FM Disconnects	100
2062	12-10 AWG Vinyl Butt Connectors	100
2372	12-10 AWG Heat Shrink CS Butt Connectors	27
226F	36" H.D.Silicone Rubber Test Leads 1Red/1Blk	1 Set
4004	3/16" I.D. Black Heat Shrink - 4" Length	9
4005	1/4" I.D. Black Heat Shrink - 4" Length	9
4006	3/8" I.D. Black Heat Shrink - 4" Length	6
2520F	(3) 10 AWG Motor Wire Compressor Leads w/ Flags & (3) 12-10 AWG Heat Shrink CS Butt Connectors	1 Set (9pcs)
2521F	(3) 10 AWG Motor Wire Compressor Leads w/ Rings & (3) 12-10 AWG Heat Shrink CS Butt Connectors	1 Set (9pcs)
3130F	(3) 10 AWG Motor Wire Leads - 10" Length & (3) 12-10 AWG Heat Shrink CS Butt Connectors	1 Set (6pcs)
80001	22 Compartment Lockable Plastic Box	

6989F Deluxe Wiring Kit | 300 Pcs.



Deluxe Wiring Kit

Includes the most popular splices, terminals and wire ties. Product map included.

Part#	Description	Pcs	Part#	Description	Pcs
4701	4" 18Lb. Natural Nylon Wire Ties	20	2112	16-14 AWG .157 Vinyl Receptacles	12
4703	5.5" 40Lb. Natural Nylon Wire Ties	20	2111	16-14 AWG .157 Vinyl Bullets	12
4705	7.5" 50Lb. Natural Nylon Wire Ties	20	2061	16-14 AWG Vinyl Butt Connectors	12
2124	22-18 AWG .157 Vinyl Receptacles	10	2011	16-14 AWG 3/8" Stud Vinyl Rings	12
2125	22-18 AWG .157 Vinyl Bullets	10	2116	16-14 AWG .250 FI Nylon FM Disconnects	10
2060	22-18 AWG Vinyl Butt Connectors	12	2117	16-14 AWG .250 FI Nylon M Disconnects	10
1220	18-14 AWG Blue Quick Splices	8	2014	12-10 AWG #10 Stud Vinyl Rings	12
2008	16-14 AWG #10 Stud Vinyl Rings	12	2015	12-10 AWG 1/4" Stud Vinyl Rings	12
2009	16-14 AWG 1/4" Stud Vinyl Rings	12	2017	12-10 AWG 3/8" Stud Vinyl Rings	12
2054	16-14 AWG #8 Stud Vinyl Spades	12	2107	12-10 AWG .250 Vinyl FM Disconnects	12
2055	16-14 AWG #10 Stud Vinyl Spades	12	2062	12-10 AWG Vinyl Butt Connectors	12
2105	16-14 AWG .250 Vinyl FM Disconnects	12	6006	24 Compartment Lockable Plastic Box	
2106	16-14 AWG .250 Vinyl M Disconnects	12			

6964F Nylon Terminal Kit | 180 Pcs.



Nylon Terminal Kit
Includes the most popular rings, spades, disconnects and butt connectors.

Part#	Description	Pcs
2002NS	22-18 AWG #10 Stud Rings	10
2052NS	22-18 AWG #10 Stud Spades	10
2102NS	22-18 AWG .250 FM Disconnects	10
2065	22-18 AWG Butt Connectors	10
2114	22-18 AWG .250 FI FM Disconnects	10
2115	22-18 AWG .250 FI M Disconnects	10
2008NS	16-14 AWG #10 Stud Rings	10
2055NS	16-14 AWG #10 Stud Spades	10
2105NS	16-14 AWG .250 FM Disconnects	10
2066	16-14 AWG Butt Connectors	10
2116	16-14 AWG .250 FI FM Disconnects	10
2117	16-14 AWG .250 FI M Disconnects	10
2015NS	12-10 AWG 1/4" Stud Rings	10
2016NS	12-10 AWG 5/16" Stud Rings	10
2107NS	12-10 AWG .250 FM Disconnects	10
2067	12-10 AWG Butt Connectors	10
2118	12-10 AWG .250 FI FM Disconnects	10
2119	12-10 AWG .250 FI M Disconnects	10
SP18	18 Compartment Lockable Plastic Box	

6976F Heat Shrink Crimp Seal Terminal Kit | 75 Pcs.

- Use 5023F tool to crimp heat shrink terminals - see page 150
- See pages 145-146 for torches or heat gun, to shrink & seal heat shrink terminals.



Heat Shrink Crimp Seal Terminal Kit
Large assortment of rings, spades, disconnects and butt connectors, all right at your fingertips. Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal.

Part#	Description	Pcs
2301	22-18 AWG #8 Stud Rings	4
2302	22-18 AWG #10 Stud Rings	5
2303	22-18 AWG 1/4" Stud Rings	5
2350	22-18 AWG #6 Stud Spades	2
2351	22-18 AWG #8 Stud Spades	2
2370	22-18 AWG Butt Connectors	5
2307	16-14 AWG #8 Stud Rings	3
2308	16-14 AWG #10 Stud Rings	5
2309	16-14 AWG 1/4" Stud Rings	4
2354	16-14 AWG #8 Stud Spades	3
2355	16-14 AWG #10 Stud Spades	3
2371	16-14 AWG Butt Connectors	5
2376	16-14 AWG .250 FI FM Disconnects	4
2375	16-14 AWG .250 FI M Disconnects	4
2313	12-10 AWG #8 Stud Rings	3
2314	12-10 AWG #10 Stud Rings	3
2315	12-10 AWG 1/4" Stud Rings	3
2357	12-10 AWG #8 Stud Spades	2
2358	12-10 AWG #10 Stud Spades	2
2372	12-10 AWG Butt Connectors	4
2378	12-10 AWG .250 FI FM Disconnects	2
2377	12-10 AWG .250 FI M Disconnects	2
6015	8 Compartment Re-Closable Plastic Kit	

Assortments & Kits

6960F Heat Shrink Crimp Seal Terminal Kit | 115 Pcs.

- Use 5023F tool to crimp heat shrink terminals - see page 150
- See pages 145-146 for torches or heat gun, to shrink & seal heat shrink terminals.



Heat Shrink Crimp Waterproof Seal Terminal Kit

Includes the most popular rings, spades, disconnects and butt connectors.

Part#	Description	Pcs
2300	22-18 AWG #6 Stud Rings	5
2302	22-18 AWG #10 Stud Rings	5
2305	22-18 AWG 3/8" Stud Rings	5
2352	22-18 AWG #10 Stud Spades	5
2370	22-18 AWG Butt Connectors	10
2374	22-18 AWG .250 FI FM Disconnects	5
2373	22-18 AWG .250 FI M Disconnects	5
2307	16-14 AWG #8 Stud Rings	5
2308	16-14 AWG #10 Stud Rings	5
2309	16-14 AWG 1/4" Stud Rings	5
2311	16-14 AWG 3/8" Stud Rings	5
2355	16-14 AWG #10 Stud Spades	5
2371	16-14 AWG Butt Connectors	10
2376	16-14 AWG .250 FI FM Disconnects	5
2375	16-14 AWG .250 FI M Disconnects	5
2314	12-10 AWG #10 Stud Rings	5
2315	12-10 AWG 1/4" Stud Rings	5
2317	12-10 AWG 3/8" Stud Rings	5
2358	12-10 AWG #10 Stud Spades	5
2372	12-10 AWG Butt Connectors	10
SP18	18 Compartment Lockable Plastic Box	

6977F Heat Shrink Solder Seal Terminal Kit | 60 Pcs.

- See pages 145-146 for torches or heat gun, to shrink & seal heat shrink terminals.



Heat Shrink Solder Seal Terminal Kit

- A soldered electrical connection provides superior current flow.
- Pre-fluxed, low melt solder delivers excellent tensile strength.
- Waterproof seal.

Part#	Description	Pcs
2301S	22-18 AWG #8 Stud Rings	3
2302S	22-18 AWG #10 Stud Rings	3
2303S	22-18 AWG 1/4" Stud Rings	3
2352S	22-18 AWG #10 Stud Spades	4
2370S	22-18 AWG Butt Connectors	4
2307S	16-14 AWG #8 Stud Rings	3
2308S	16-14 AWG #10 Stud Rings	3
2310S	16-14 AWG 5/16" Stud Rings	3
2355S	16-14 AWG #10 Stud Spades	4
2371S	16-14 AWG Butt Connectors	4
2365S	16-14 AWG .250 FM Disconnects	3
2366S	16-14 AWG .250 M Disconnects	3
2314S	12-10 AWG #10 Stud Rings	3
2315S	12-10 AWG 1/4" Stud Rings	3
2316S	12-10 AWG 5/16" Stud Rings	3
2358S	12-10 AWG #10 Stud Spades	3
2372S	12-10 AWG Butt Connectors	4
2367S	12-10 AWG .250 FM Disconnects	2
2368S	12-10 AWG .250 M Disconnects	2
6015	8 Compartment Re-Closable Plastic Kit	

6961F Heat Shrink Solder Seal Terminal Kit | 125 Pcs.

• See pages 145-146 for torches or heat gun, to shrink & seal heat shrink terminals.



Part#	Description	Pcs	Part#	Description	Pcs
2369S	24-22 AWG Butt Connectors	5	2355S	16-14 AWG #10 Stud Spades	5
2300S	22-18 AWG #6 Stud Rings	5	2365S	16-14 AWG .250 FM Disconnects	5
2301S	22-18 AWG #8 Stud Rings	5	2366S	16-14 AWG .250 M Disconnects	5
2302S	22-18 AWG #10 Stud Rings	5	2371S	16-14 AWG Butt Connectors	5
2303S	22-18 AWG 1/4" Stud Rings	5	2314S	12-10 AWG #10 Stud Rings	5
2352S	22-18 AWG #10 Stud Spades	5	2315S	12-10 AWG 1/4" Stud Rings	5
2362S	22-18 AWG .250 FM Disconnects	5	2317S	12-10 AWG 3/8" Stud Rings	5
2363S	22-18 AWG .250 M Disconnects	5	2318S	12-10 AWG 1/2" Stud Rings	5
2370S	22-18 AWG Butt Connectors	5	2358S	12-10 AWG #10 Stud Spades	5
2307S	16-14 AWG #8 Stud Rings	5	2367S	12-10 AWG .250 FM Disconnects	5
2308S	16-14 AWG #10 Stud Rings	5	2368S	12-10 AWG .250 M Disconnects	5
2309S	16-14 AWG 1/4" Stud Rings	5	2372S	12-10 AWG Butt Connectors	5
2311S	16-14 AWG 3/8" Stud Rings	5	SP18	18 Compartment Lockable Plastic Box	

Heat Shrink Solder Seal Terminal Kit

The most popular rings, spades, disconnects and butt connectors. Made with pre-fluxed, low-melt solder. No crimping needed.

6978F Heat Shrink Crimp & Solder Seal Terminal Kit | 60 Pcs.

• See pages 145-146 for torches or heat gun, to shrink & seal heat shrink terminals.



Heat Shrink Crimp & Solder Seal Terminal Kit

- Crimped, Soldered & Sealed connection meets or exceeds the most stringent OEM standards.
- Pre-fluxed, low melt solder delivers excellent current flow & tensile strength.
- Waterproof seal.

Part#	Description	Pcs
2331	22-18 AWG #8 Stud Rings	3
2249	22-18 AWG #10 Stud Rings	3
2332	22-18 AWG 1/4" Stud Rings	3
2342	22-18 AWG #10 Stud Spades	3
2242	22-18 AWG Butt Connectors	4
2336	16-14 AWG #8 Stud Rings	3
2246	16-14 AWG #10 Stud Rings	3
2247	16-14 AWG 1/4" Stud Rings	3
2345	16-14 AWG #10 Stud Spades	3
2241	16-14 AWG Butt Connectors	4
2250	16-14 AWG .250 FM Disconnects	3
2251	16-14 AWG .250 M Disconnects	3
2339	12-10 AWG #8 Stud Rings	3
2244	12-10 AWG #10 Stud Rings	3
2252	12-10 AWG 1/4" Stud Rings	3
2245	12-10 AWG 3/8" Stud Rings	3
2348	12-10 AWG #10 Stud Spades	2
2240	12-10 AWG Butt Connectors	4
2282	12-10 AWG .250 FI FM Disconnects	2
2283	12-10 AWG .250 FI M Disconnects	2
6015	8 Compartment Re-Closable Plastic Kit	

Assortments & Kits

6962F Heat Shrink Crimp & Solder Seal Terminal Kit | 130 Pcs.

- Use 5023F tool to crimp heat shrink terminals - see page 150



Part#	Description	Pcs
2243	24-22 AWG Butt Connectors	10
2249	22-18 AWG #10 Stud Rings	10
2242	22-18 AWG Butt Connectors	10
2246	16-14 AWG #10 Stud Rings	10
2247	16-14 AWG 1/4" Stud Rings	10
2248	16-14 AWG 3/8" Stud Rings	10
2250	16-14 AWG .250 FM Disconnects	10
2251	16-14 AWG .250 M Disconnects	10
2241	16-14 AWG Butt Connectors	20
2244	12-10 AWG #10 Stud Rings	10
2245	12-10 AWG 3/8" Stud Rings	10
2240	12-10 AWG Butt Connectors	10
SP12	12 Compartment Lockable Plastic Box	

Heat Shrink Crimp & Solder Seal Terminal Kit

- The most popular waterproof rings, spades, disconnects and butt connectors, all right at your fingertips.
- CSS terminals meet or exceed the most stringent OEM standards

6970F 1/8" thru 3/4" I.D. Black Heat Shrink Kit | 31 Pcs.

- 2 to 1 Single/Thin-Wall Cross-Linked Polyolefin Heat Shrink Tubing.
- Shrink Temperature: 121°C (250°F).
- Continuous Operating Temperature: -55°C (-67°F) to 135°C (275°F).
- See pages 133-144 for additional heat shrink products and information.
- See pages 145-146 for torches or heat gun to shrink & seal heat shrink tubing.



Part#	Description	Pcs
4003-0	1/8" I.D. Black Heat Shrink - 6" Length	10
4004-0	3/16" I.D. Black Heat Shrink - 6" Length	8
4005-0	1/4" I.D. Black Heat Shrink - 6" Length	5
4006-0	3/8" I.D. Black Heat Shrink - 6" Length	4
4007-0	1/2" I.D. Black Heat Shrink - 6" Length	2
4008-0	3/4" I.D. Black Heat Shrink - 6" Length	2
SP6	6 Compartment Lockable Plastic Box	

Black Heat Shrink Kit

Our best heat shrink tubing in popular diameters, all in one easy-to-access kit.



See Our
Durable
Torches
Pages 145-146

6972F 1/16" thru 3/8" I.D. Deluxe Black Heat Shrink Kit | 161 Pcs.

- 2 to 1 Single/Thin-Wall Cross-Linked Polyolefin Heat Shrink Tubing.
- Shrink Temperature: 121°C (250°F).
- Continuous Operating Temperature: -55°C (-67°F) to 135°C (275°F).



Part#	Description	Pcs
4001-0	1/16" I.D. Black Heat Shrink - 4" Length	56
4002-0	3/32" I.D. Black Heat Shrink - 4" Length	35
4003-0	1/8" I.D. Black Heat Shrink - 4" Length	28
4004-0	3/16" I.D. Black Heat Shrink - 4" Length	21
4005-0	1/4" I.D. Black Heat Shrink - 4" Length	14
4006-0	3/8" I.D. Black Heat Shrink - 4" Length	7
T3003	6 Compartment Lockable Plastic Box	

Black Heat Shrink Kit

This kit contains even more of our best heat shrink tubing in popular diameters, all at your fingertips in one easy-to-access kit.

6974F 1/8" thru 3/4" I.D. Rainbow Heat Shrink Kit | 106 Pcs.

- 2 to 1 Single/Thin-Wall Cross-Linked Polyolefin Heat Shrink Tubing.
- Shrink Temperature: 121°C (250°F).
- Continuous Operating Temperature: -55°C (-67°F) to 135°C (275°F).



Part#	Description	Pcs
4003-0	1/8" I.D. Black Heat Shrink - 6" Length	20
4004-0	3/16" I.D. Black Heat Shrink - 6" Length	20
4004-2	3/16" I.D. Red Heat Shrink - 6" Length	10
4005-0	1/4" I.D. Black Heat Shrink - 6" Length	10
4005-6	1/4" I.D. Blue Heat Shrink - 6" Length	10
4006-0	3/8" I.D. Black Heat Shrink - 6" Length	10
4006-7	3/8" I.D. Yellow Heat Shrink - 6" Length	10
4007-0	1/2" I.D. Black Heat Shrink - 6" Length	10
4008-0	3/4" I.D. Black Heat Shrink - 6" Length	6
SP6	6 Compartment Lockable Plastic Box	

Rainbow Heat Shrink Kit

Our best heat shrink tubing in popular diameters, all in one easy-to-access kit.



our Heavy-Duty Heat Gun with two temperature settings, lets you shrink and seal tubing quickly and easily. Located in the tool section on page 145.

Assortments & Kits

6971F 1/16" thru 3/8" I.D. Deluxe Rainbow Heat Shrink Kit | 161 Pcs.

- 2 to 1 Single/Thin-Wall Cross-Linked Polyolefin Heat Shrink Tubing.
- Shrink Temperature: 121°C (250°F).
- Continuous Operating Temperature: -55°C (-67°F) to 135°C (275°F).
- See pages 133-144 for additional heat shrink products and information.
- See pages 145-146 for torches or heat gun to shrink & seal heat shrink tubing.



Deluxe Rainbow Heat Shrink Kit
A customer favorite, this kit includes our most popular heat shrink types in a variety of sizes, in just the right quantities.



4 Crimp Nests.
Color-coded
for quick use!

See our complete line
of **quality crimpers**
starting on page 149

Part#	Description	Pcs
4001-0	1/16" I.D. Black Heat Shrink - 4" Length	8
4001-1	1/16" I.D. Clear Heat Shrink - 4" Length	8
4001-2	1/16" I.D. Red Heat Shrink - 4" Length	8
4001-5	1/16" I.D. Green Heat Shrink - 4" Length	8
4001-6	1/16" I.D. Blue Heat Shrink - 4" Length	8
4001-7	1/16" I.D. Yellow Heat Shrink - 4" Length	8
4001-9	1/16" I.D. White Heat Shrink - 4" Length	8
4002-0	3/32" I.D. Black Heat Shrink - 4" Length	5
4002-1	3/32" I.D. Clear Heat Shrink - 4" Length	5
4002-2	3/32" I.D. Red Heat Shrink - 4" Length	5
4002-5	3/32" I.D. Green Heat Shrink - 4" Length	5
4002-6	3/32" I.D. Blue Heat Shrink - 4" Length	5
4002-7	3/32" I.D. Yellow Heat Shrink - 4" Length	5
4002-9	3/32" I.D. White Heat Shrink - 4" Length	5
4003-0	1/8" I.D. Black Heat Shrink - 4" Length	4
4003-1	1/8" I.D. Clear Heat Shrink - 4" Length	4
4003-2	1/8" I.D. Red Heat Shrink - 4" Length	4
4003-5	1/8" I.D. Green Heat Shrink - 4" Length	4
4003-6	1/8" I.D. Blue Heat Shrink - 4" Length	4
4003-7	1/8" I.D. Yellow Heat Shrink - 4" Length	4
4003-9	1/8" I.D. White Heat Shrink - 4" Length	4
4004-0	3/16" I.D. Black Heat Shrink - 4" Length	3
4004-1	3/16" I.D. Clear Heat Shrink - 4" Length	3
4004-2	3/16" I.D. Red Heat Shrink - 4" Length	3
4004-5	3/16" I.D. Green Heat Shrink - 4" Length	3
4004-6	3/16" I.D. Blue Heat Shrink - 4" Length	3
4004-7	3/16" I.D. Yellow Heat Shrink - 4" Length	3
4004-9	3/16" I.D. White Heat Shrink - 4" Length	3
4005-0	1/4" I.D. Black Heat Shrink - 4" Length	2
4005-1	1/4" I.D. Clear Heat Shrink - 4" Length	2
4005-2	1/4" I.D. Red Heat Shrink - 4" Length	2
4005-5	1/4" I.D. Green Heat Shrink - 4" Length	2
4005-6	1/4" I.D. Blue Heat Shrink - 4" Length	2
4005-7	1/4" I.D. Yellow Heat Shrink - 4" Length	2
4005-9	1/4" I.D. White Heat Shrink - 4" Length	2
4006-0	3/8" I.D. Black Heat Shrink - 4" Length	1
4006-1	3/8" I.D. Clear Heat Shrink - 4" Length	1
4006-2	3/8" I.D. Red Heat Shrink - 4" Length	1
4006-5	3/8" I.D. Green Heat Shrink - 4" Length	1
4006-6	3/8" I.D. Blue Heat Shrink - 4" Length	1
4006-7	3/8" I.D. Yellow Heat Shrink - 4" Length	1
4006-9	3/8" I.D. White Heat Shrink - 4" Length	1
T3003	6 Compartment Lockable Plastic Box	

6963F Weather Pack Starter Kit | 126 Pcs.

- All the essential components to make a complete weather resistant connection.
- See pages 37-40 for additional Weather Pack products and tools.



Part#	Description	Pcs
2203	20-18 AWG FM Tin Plated W/P Terminals (OEM#12089188)	10
2200	20-18 AWG M Tin Plated W/P Terminals (OEM#12089040)	10
2211	16-14 AWG FM Tin Plated W/P Terminals (OEM#12010182/12124580)	10
2208	16-14 AWG M Tin Plated W/P Terminals (OEM#12089305/12124582)	10
2202	12 AWG FM Tin Plated W/P Terminals (OEM#12124581)	10
2201	12 AWG M Tin Plated W/P Terminals (OEM#12124587)	10
2214	Green Cavity Plugs-Silicone Rubber (OEM#12010300)	10
2206	20-18 AWG Green Cable Seals (OEM#12015323/15324982)	10
2205	16-14 AWG Gray Cable Seals (OEM#12010293/15324980)	10
2207	12-10 AWG Blue Cable Seals (OEM#12015193/15324981)	10
2217	Nylon Single Cavity W/P FM Tower (OEM#12015791)	4
2216	Nylon Single Cavity W/P M Shroud (OEM#12010996)	4
2220	Nylon Double Cavity W/P FM Tower (OEM#12015792)	3
2219	Nylon Double Cavity W/P M Shroud (OEM#12010973)	3
2223	Nylon Triple Cavity W/P FM Tower (OEM#12015793)	2
2222	Nylon Triple Cavity W/P M Shroud (OEM#12010717)	2
2226	Nylon Quad Cavity W/P FM Tower (OEM#12015797)	4
2225	Nylon Quad Cavity W/P M Shroud (OEM#12010974)	4
SP18	18 Compartment Lockable Plastic Box	

Weather Pack Starter Kit

This great kits puts all the components you need for weather resistant connections in one easy-to-access box.

6973F 3 thru 30 Amp ATC/ATO Fuse Kit w/ Tester Tool | 203 Pcs.

- Kit also includes disconnects & adapter clips that provide direct power connection at the fuse block & 1-30 Amp ATC/ATO Fuse Holders that make solid, safe, quick & easy connections.



Part#	Description	Pcs
2430	3 Amp Purple Fuses	20
2431	5 Amp Orange Fuses	20
2432	7.5 Amp Brown Fuses	20
2433	10 Amp Red Fuses	20
2434	15 Amp Blue Fuses	20
2435	20 Amp Yellow Fuses	20
2436	25 Amp Clear Fuses	20
2437	30 Amp Green Fuses	20
1208	.250Tab ATC/ATO Fuse Power Tap Adapters	20
2116	16-14 AWG .250 FI Nylon FM Disconnects	20
2529H	1-30 Amp ATC/ATO Fuse Holders-12 AWG 7" Wire	2
2489F	Fuse Puller/Tester Tool	1
SP12	12 Compartment Lockable Plastic Box	

3 thru 30 Amp ATC/ATO Fuse Kit with Tester Tool

The perfect all-in-one kit that provides you with everything you need to make a safe, secure connection, including a tester tool and fuse holders.

Assortments & Kits

4790F Nylon UV Black, Natural & Color Wire Tie Kit | 650 Pcs.

- Meets ISO 9002 & MIL-S-23190 for MS3367 Specifications.
- Constructed of industry standard 6/6 UL94 V-2 nylon.
- Temperature rating from -40°C (-40°F) to 85°C (185°F).
- Wire Tie Tools are on page 132. See pages 121-132 for all Wire Tie products.

Part#	Description	Pcs
4701	4" 18Lb. Natural Wire Ties	200
4702	4" 18Lb. UV Black Wire Ties	100
4701-7	4" 18Lb. Yellow Wire Ties	20
4701-6	4" 18Lb. Blue Wire Ties	20
4701N5	4" 18Lb. Neon Green Wire Ties	20
4701N8	4" 18Lb. Neon Pink Wire Ties	20
4701N3	4" 18Lb. Neon Orange Wire Ties	20
4705	7.5" 50Lb. Natural Wire Ties	100
4706	7.5" 50Lb. UV Black Wire Ties	10
4705-2	7.5" 50Lb. Red Wire Ties	10
4705-7	7.5" 50Lb. Yellow Wire Ties	10
4705-6	7.5" 50Lb. Blue Wire Ties	10
4705-4	7.5" 50Lb. Purple Wire Ties	10
4707	11.5" 50Lb. Natural Wire Ties	100

Kit is in a re-closable plastic container

Nylon UV Black, Natural & Color Wire Tie Kit

A great assortment of ties that meet all ISO 9002 & MIL-S23190 for MS3367 Specifications. All ties feature an optimal temperature rating.



4791F Nylon UV Black & Natural Wire Tie Kit | 500 Pcs.

- Meets ISO 9002 & MIL-S-23190 for MS3367 Specifications.
- Constructed of industry standard 6/6 UL94 V-2 nylon.
- Temperature rating from -40°C (-40°F) to 85°C (185°F).
- Wire Tie Tools are on page 132. See pages 121-132 for all Wire Tie products.

Part#	Description	Pcs
4701	4" 18Lb. Natural Wire Ties	150
4702	4" 18Lb. UV Black Wire Ties	100
4705	7.5" 50Lb. Natural Wire Ties	100
4706	7.5" 50Lb. UV Black Wire Ties	50
4707	11.5" 50Lb. Natural Wire Ties	50
4708	11.5" 50Lb. UV Black Wire Ties	50

Kit is in a re-closable plastic container

Nylon UV Black & Natural Wire Tie Kit

A great assortment of ties that meet all ISO 9002 & MIL-S23190 for MS3367 Specifications. All ties feature an optimal temperature rating.



Metal Storage Cases

- Sturdy metal case with secure latch.
- Ships shrink wrapped.
- Includes mapping sticker for lid, lets you customize your kit and label each compartment for quick reference.

Part#	Description	Size (L x W x H)
6000	21 Compartments w/blank mapping sticker	13.5" x 9.5" x 2"
6003	24 Compartments w/blank mapping sticker	13.5" x 9.5" x 2"
6005	24 Compartments w/blank mapping sticker	18.25" x 12" x 3"

*To order the metal box only use part # 6000, 6003, 6005.



4792F Nylon Natural Wire Tie Kit | 650 Pcs.

- Meets ISO 9002 & MIL-S-23190 for MS3367 Specifications.
- Constructed of industry standard 6/6 UL94 V-2 nylon.
- Temperature rating from -40°C (-40°F) to 85°C (185°F).
- Wire Tie Tools are on page 132. See pages 121-132 for all Wire Tie products.

Part#	Description	Pcs
4701	4" 18Lb. Natural Wire Ties	300
4705	7.5" 50Lb. Natural Wire Ties	300
4707	11.5" 50Lb. Natural Wire Ties	50
Kit is in a re-closable plastic container		

Nylon Natural Wire Tie Kit

A great assortment of ties that meet all ISO 9002 & MIL-S23190 for MS3367 Specifications. All ties feature an optimal temperature rating.



4793F Nylon UV Black Wire Tie Kit | 650 Pcs.

- Meets ISO 9002 & MIL-S-23190 for MS3367 Specifications.
- Constructed of industry standard 6/6 UL94 V-2 nylon.
- Temperature rating from -40°C (-40°F) to 85°C (185°F).
- Wire Tie Tools are on page 132. See pages 121-132 for all Wire Tie products.

Part#	Description	Pcs
4702	4" 18Lb. UV Black Wire Ties	200
4704	5.5" 40Lb. UV Black Wire Ties	100
4706	7.5" 50Lb. UV Black Wire Ties	300
4708	11.5" 50Lb. UV Black Wire Ties	50
Kit is in a re-closable plastic container		

Nylon UV Black Wire Tie Kit

A great assortment of ties that meet all ISO 9002 & MIL-S23190 for MS3367 Specifications. All ties feature an optimal temperature rating.



4794F Nylon UV Black, Natural & Color Wire Tie Kit | 1200 Pcs.

- Meets ISO 9002 & MIL-S-23190 for MS3367 Specifications.
- Constructed of industry standard 6/6 UL94 V-2 nylon.
- Temperature rating from -40°C (-40°F) to 85°C (185°F).
- Wire Tie Tools are on page 132. See pages 121-132 for all Wire Tie products.

Part#	Description	Pcs
4701	4" 18Lb. Natural Wire Ties	100
4702	4" 18Lb. UV Black Wire Ties	200
4701-6	4" 18Lb. Blue Wire Ties	100
4701-4	4" 18Lb. Purple Wire Ties	100
4701N5	4" 18Lb. Neon Green Wire Ties	100
4701N7	4" 18Lb. Neon Yellow Wire Ties	100
4701N3	4" 18Lb. Neon Orange Wire Ties	100
4703	5.5" 40Lb. Natural Wire Ties	100
4704	5.5" 40Lb. UV Black Wire Ties	200
4706	7.5" 50Lb. UV Black Wire Ties	100
304705-1	7.5" 250Lb. Stainless Steel Wire Ties	2
Kit is in a re-closable plastic container		

Nylon UV Black, Natural & Color Wire Tie Kit

Our ultimate assortment of high-quality ties. These ties meet all ISO 9002 & MIL-S23190 for MS3367 Specifications, and feature an optimal temperature rating.



Assortments & Kits

PET Expandable Sleeving - Case Mod® Kits

- Available in 9 different colors for cable customization.
- Hot knife is required to cut sleeving - in order to avoid fray.
- Use 5055F or 5056F hot knife tools to cut & seal sleeving - see page 146.

After the flashing fan lights, the neon glow, the custom water-cooled case and the supercharged components, the final touch for computer case customization is “modding” the cables that connect everything. Our Case Mod customization provides computer enthusiasts with many products to choose from, including UV reactive & chrome colors, to manage and customize the wires, cables and hoses in their supercharged custom cases.

Working With Braided Expandable Sleeving: Braided expandable sleeving is the ideal solution for neatly and economically bundling and protecting wire or cable assemblies. The light, flexible sleeving installs easily and expands up to 150% to fit over plugs, inline connectors and splices.

Measuring: The sleeving should be measured on the actual wire or cable on which it will be installed. As it expands radially, the length will shorten slightly. Just slip the sleeve over your application, mark the cut line with a pen or a marker, and remove it to cut the ends. Careful measurement will prevent mistakes and minimize wasted material.

Cutting: It is highly recommended that the sleeving be cut with a hot knife, rope cutter, soldering iron with a cutting tip, or some other system that will cut and seal the ends to prevent fraying during installation. When the ends are cut and sealed, flare them slightly with your fingers to allow your wires to slip in easily.

Installing & Terminating: The easiest way to install the sleeving over long wire runs is to simply “walk” the sleeve down the length of the wire. Just push the slack sleeving onto the end of the wire and slide it down the entire run. When you reach the end of the installation, slide your hands along the entire length to smooth out the sleeving and produce a finished look. To finish the ends, you can use heat shrink tubing in the appropriate size, nylon cable ties, or even electrical tape. If the ends of the sleeving were properly cut and sealed, the installation should last a long time and produce a professional, finished look on virtually any wire, cable or hose application.

CMK0 (CMK0.00BK) Black - Case Mod® Kit - 19 Pcs.

Kit Includes

- | | | | |
|--|----------------|---|---------------|
| • 4" (18Lb. Tensile Strength) Black Wire Ties | 12 Pcs. | • 1/8" I.D. Black Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Black Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Black Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Black Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Black Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Black Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Black Expandable Braided Sleeving | 5 Ft. |



CMK1 (CCM0.00SV) Chrome Metallic - Case Mod® Kit - 18 Pcs.

Kit Includes

- | | | | |
|--|----------------|--|---------------|
| • 4" (18Lb. Tensile Strength) Natural Wire Ties | 12 Pcs. | • 1/4" I.D. Chrome Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Chrome Expandable Braided Sleeving | 5 Ft. |
| • 3/4" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/2" I.D. Chrome Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 6" | | |



CMK9 (CMK0.00CB) Carbon - Case Mod® Kit - 19 Pcs.

Kit Includes

- | | | | |
|--|----------------|--|---------------|
| • 4" (18Lb. Tensile Strength) Natural Wire Ties | 12 Pcs. | • 1/8" I.D. Carbon Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Carbon Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Carbon Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Carbon Expandable Braided Sleeving | 5 Ft. |



CMKN2 (CMK0.00NR) Neon Red - Case Mod® Kit - 19 Pcs.

• UV Reactive Sleeving

Kit Includes

- | | | | |
|--|----------------|--|---------------|
| • 4" (18Lb. Tensile Strength) Neon Red Wire Ties | 12 Pcs. | • 1/8" I.D. Neon Red Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Red Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Neon Red Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Red Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Neon Red Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Red Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Neon Red Expandable Braided Sleeving | 5 Ft. |



CMKN4 (CMK0.00_P) Purple - Case Mod® Kit - 19 Pcs.

• UV Reactive Sleeving

Kit Includes

- | | | | |
|---|----------------|--|---------------|
| • 4" (18Lb. Tensile Strength) Purple Wire Ties | 12 Pcs. | • 1/8" I.D. Purple Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Purple Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Purple Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Purple Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Purple Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Purple Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Purple Expandable Braided Sleeving | 5 Ft. |



CMKN5 (CMK0.00NG) Neon Green - Case Mod® Kit - 19 Pcs.

• UV Reactive Sleeving

Kit Includes

- | | | | |
|--|----------------|--|---------------|
| • 4" (18Lb. Tensile Strength) Neon Green Wire Ties | 12 Pcs. | • 1/8" I.D. Neon Green Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Green Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Neon Green Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Green Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Neon Green Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Green Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Neon Green Expandable Braided Sleeving | 5 Ft. |



CMKN6 (CMK0.00NB) Neon Blue - Case Mod® Kit - 19 Pcs.

• UV Reactive Sleeving

Kit Includes

- | | | | |
|---|----------------|---|---------------|
| • 4" (18Lb. Tensile Strength) Blue Wire Ties | 12 Pcs. | • 1/8" I.D. Neon Blue Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Blue Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Neon Blue Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Blue Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Neon Blue Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Blue Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Neon Blue Expandable Braided Sleeving | 5 Ft. |



CMKN7 (CMK0.00NY) Neon Yellow - Case Mod® Kit - 19 Pcs.

• UV Reactive Sleeving

Kit Includes

- | | | | |
|---|----------------|---|---------------|
| • 4" (18Lb. Tensile Strength) Neon Yellow Wire Ties | 12 Pcs. | • 1/8" I.D. Neon Yellow Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Yellow Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Neon Yellow Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Yellow Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Neon Yellow Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Yellow Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Neon Yellow Expandable Braided Sleeving | 5 Ft. |



CMKN8 (CMK0.00NP) Neon Pink - Case Mod® Kit - 19 Pcs.

• UV Reactive Sleeving

Kit Includes

- | | | | |
|--|----------------|---|---------------|
| • 4" (18Lb. Tensile Strength) Neon Pink Wire Ties | 12 Pcs. | • 1/8" I.D. Neon Pink Expandable Braided Sleeving | 10 Ft. |
| • 3/8" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 1/4" I.D. Neon Pink Expandable Braided Sleeving | 10 Ft. |
| • 3/4" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 1 Ft. | • 3/8" I.D. Neon Pink Expandable Braided Sleeving | 5 Ft. |
| • 1" I.D. Clear Heat Shrink (Shrink Ratio: 3 to 1) | 6" | • 1/2" I.D. Neon Pink Expandable Braided Sleeving | 5 Ft. |

