



**MORE THAN 35 YEARS**

**A SINGLE VISION**



## Quality. Value. Product Availability.

When The Best Connection was founded more than 35 years ago we had one focus... to shake up the wiring accessories industry... and we did.

How? We did it by providing product availability that was virtually unheard of then, and still is today. We not only provided quality wiring accessories, from heat shrink terminals to heavy-duty crimpers, all at a great value, but the biggest impact we had on the industry... **we guaranteed a 98% fill rate.**

What does that mean to our customers? It means we keep over 4,000 wiring products and accessories stocked in our warehouse at all times. When you need products we have them and can ship immediately/consistently.

For most of our competitors wiring accessories is a secondary business... so keeping an inventory for these customers is secondary as well. With The Best Connection, it's our main focus. It has been for more than 35 years... and will continue to be. Our customers are truly number one.

Whether it's wiring accessories for the automotive industry, farm and fleet, RV, HVAC/R... or any other... we will always have the product you need, when you need it. **You have our guarantee.**

**Allen Batts**

*Chief Steward*

*The Best Connection, Inc.*



## TERMINALS (Pg. 1-20)

Rings — Pg. 3-4  
 Butt Connectors — Pg. 5-6  
 Heavy-Duty — Pg. 7-8  
 Spades — Pg. 8-9  
 Disconnects — Pg. 9-11  
 Small Gauge — Pg. 12  
 Pins — Pg. 12  
 Hooks — Pg. 12  
 Piggybacks — Pg. 12  
 Flags — Pg. 13  
 3-Way — Pg. 13  
 4-Way — Pg. 14  
 Bullets — Pg. 14  
 Receptacles — Pg. 14  
 High Temp — Pg. 15  
 56 Series — Pg. 15  
 Adapters — Pg. 15  
 Closed End — Pg. 16  
 Twist Connectors — Pg. 16  
 T-Tap Splices — Pg. 16  
 Quick Splices — Pg. 16  
 Telecom Connectors — Pg. 16  
 Torches — Pg. 16  
 Compressor Lead Sets — Pg. 19  
 Terminal Kits — Pg. 17-20

## ASSORTMENT & KITS (Pg. 21-36)

Bungie Cord Kit — Pg. 22  
 Installers Box — Pg. 23-24  
 Terminal Kits — Pg. 21-29  
 HVAC/R Wiring Kit — Pg. 22 & 25  
 Heat Shrink Tubing Kits — Pg. 29-31  
 Weather Pack Kit — Pg. 32  
 ATC/ATO Fuse Kit — Pg. 32  
 Cable Tie Kits — Pg. 33-34  
 PET Case Mod® Kits — Pg. 35-36  
 Metal Storage Cases — Pg. 33

## WEATHER PACKS (Pg. 37-40)

O.E.M. Terminals — Pg. 37 & 40  
 GM O.E.M. Terminals — Pg. 40  
 Ford O.E.M. Terminals — Pg. 40  
 Chrysler O.E.M. Terminals — Pg. 40  
 Shrouds & Towers — Pg. 37-39  
 Seals — Pg. 38  
 Pigtailed — Pg. 38-39  
 Tools — Pg. 38-39

## SOCKETS & PIGTAILS (Pg. 41-52)

Metri-Pack Connectors — Pg. 45-48  
 Halogen Connectors — Pg. 45-47  
 Steel Frame Clips — Pg. 52

## TRAILER PRODUCTS (Pg. 53-54)

## WIRE & CABLE (Pg. 55-60)

Primary Wire — Pg. 55  
 SXL Wire — Pg. 56  
 Motor Wire — Pg. 56  
 Speaker Wire — Pg. 58  
 Bonded Trailer Wire — Pg. 58  
 Jacketed Trailer Wire — Pg. 58  
 Jacketed Wire — Pg. 58  
 Starter Cable — Pg. 59  
 Fusible Link Wire — Pg. 57  
 O.E.M. Style Fusible Link Kits — Pg. 59  
 Wire Spool Rack — Pg. 56  
 Electrical Tape — Pg. 55  
 Wiring Guide — Pg. 57  
 Typical Amperage Guide — Pg. 57  
 Trailer Wiring Recommendations — Pg. 60

## BATTERY PRODUCTS (Pg. 61-82)

Battery Cables — Pg. 61-66  
 Booster Cables & Clamps — Pg. 64 & 81  
 Jumper Cables — Pg. 65-66  
 Ground Straps — Pg. 66  
 Bonding Straps — Pg. 67  
 Lead Battery Terminals — Pg. 67-68  
 Copper Die Cast Terminals — Pg. 69-70  
 Brass Terminals — Pg. 71-72  
 Lead Free Terminals — Pg. 71-72  
 Battery Terminal Accessories — Pg. 71-72  
 Copper Lugs — Pg. 73-75  
 Tin-Plated Copper Lugs — Pg. 79  
 Terminal Protectors — Pg. 75-77  
 Battery Spray — Pg. 77  
 Battery Hold-Downs — Pg. 78  
 Battery Tray & Boxes — Pg. 78  
 Battery Tools & Accessories — Pg. 79-81  
 Battery Isolator Switch — Pg. 81  
 Solder Pellets — Pg. 80  
 Starter Cable — Pg. 82

## SWITCHES (Pg. 83-86)

Illuminated Switches — Pg. 84-86  
 All-Metal Toggles — Pg. 84  
 All-Weather Toggles — Pg. 84  
 Bakelite Toggles — Pg. 84  
 Miniature Toggles — Pg. 84  
 Heavy-Duty Toggles — Pg. 84  
 Heavy-Duty Push-Pull Switches — Pg. 85  
 Rocker Switches — Pg. 85-86  
 Ignition Switch — Pg. 85  
 Battery Isolator Switch — Pg. 85  
 Starter Switches — Pg. 85  
 Horn Buttons — Pg. 85  
 Warning Lights — Pg. 85  
 Switch/Panel Combos — Pg. 86  
 Power Adapter — Pg. 86  
 Toggle Switch Covers — Pg. 86  
 Panel Mounts — Pg. 86

## FUSES & ACCESSORIES (Pg. 87-92)

Glass Fuses — Pg. 87, 91 & 92  
 GBC Bakelite Fuses — Pg. 87 & 92  
 Maxi Fuses — Pg. 87, 88 & 92  
 ATC/ATO Fuses — Pg. 88 & 92  
 Mini Fuses — Pg. 88 & 92  
 Smart Glow Fuses — Pg. 88 & 92  
 PAL Fuses — Pg. 89  
 Fuse Holders — Pg. 89-90  
 Fuse Adapters — Pg. 90  
 Fuse Pullers & Tester — Pg. 90  
 Fuse Blocks — Pg. 90-91  
 Junction Blocks — Pg. 90-91  
 Distribution Blocks — Pg. 91  
 Thermal Flasher — Pg. 91  
 Power Taps — Pg. 91  
 Fuse Kits — Pg. 91-92

## CAPS/GROMMETS/CONNECTORS (Pg. 93-98)

Vinyl Vacuum Caps — Pg. 93-94  
 Rubber Vacuum Caps — Pg. 94-95  
 Vacuum Cap Assortments — Pg. 94  
 Nylon Vacuum Connectors — Pg. 96-97  
 Vinyl Grommets — Pg. 98  
 Vinyl Grommet Assortments — Pg. 98

## SLEEVING (Pg. 99-120)

Split Loom (Flex-Guard) Tubing — Pg. 99-102  
 Nylon Split Loom (Flex-Guard) Tubing — Pg. 101-102  
 Spiral-Cut Tubing — Pg. 102-103  
 Asphalt-Coated Fabric Loom — Pg. 104  
 PET Expandable Sleeving — Pg. 105-114  
 PET Standard — Pg. 105  
 PET Clean Cut — Pg. 106  
 PET Flame Retardant — Pg. 107-108  
 PET Semi-Rigid Split Wrap — Pg. 109-110  
 PET Velcro Split Wrap — Pg. 111-112  
 PET Case Mod® Kits — Pg. 113-114  
 High Performance Sleeving — Pg. 115-118  
 Spark Plug Boot Sleeves — Pg. 115  
 Aluminized Fiberglass Sleeving — Pg. 115-116  
 Silicone Coated Fiberglass Sleeving — Pg. 116  
 Braided Fiberglass Sleeving — Pg. 117  
 V8 Muscle Car/Truck Dress-Up Kits — Pg. 117  
 Import Car/Truck Dress-Up Kits — Pg. 118  
 Motorcycle Dress-Up Kits — Pg. 118  
 Trailer Hitch Protection Kit — Pg. 118  
 Sleeving Tools — Pg. 119-120  
 Soldering Tool Kit — Pg. 120  
 Solder Paste — Pg. 120  
 Feed Master Wire/Loom Tool — Pg. 120  
 Bench Mount Hot Knife — Pg. 119  
 Handheld Hot Knife — Pg. 119  
 Replacement Blades & Tips — Pg. 119

## CABLE TIES & ACCESSORIES (Pg. 121-132)

Standard Nylon Cable Ties — Pg. 121  
 Screw-Mount Cable Ties — Pg. 122  
 Heavy-Duty Cable Ties — Pg. 122  
 Stainless Steel Cable Ties — Pg. 129  
 Releasable Cable Ties — Pg. 129  
 Chrome-Plated Cable Ties — Pg. 130  
 I.D. Marker Cable Ties — Pg. 130  
 Velcro Strip-Ties — Pg. 131  
 Steel Frame Clips — Pg. 123  
 Santoprene Insulated Clamps — Pg. 123-124  
 Nylon Cable Clamps — Pg. 124-126  
 Nylon Twist Locks — Pg. 126  
 Cable Tie Mounts — Pg. 127-128  
 4-Way Cable Tie Mounts — Pg. 127  
 Funnel-Entry Mounts — Pg. 127  
 Push-In Wire Tie Mounts — Pg. 128  
 PVC Clips — Pg. 128  
 Cable Tie Kits Pg. 33-34  
 Cable Tie Guns — Pg. 132

## HEAT SHRINK TUBING (Pg. 133-144)

2 to 1 Single/Thin-Wall Tubing — Pg. 133-136  
 2 to 1 Single/Thin-Wall (Retail Packs) — Pg. 134  
 2 to 1 Single/Thin-Wall (4 Ft. Sticks) — Pg. 135  
 2 to 1 Single/Thin-Wall (Spools) — Pg. 136  
 Heat Shrink Markers — Pg. 137-138  
 Heat Shrink Kits — Pg. 138-140  
 2 to 1 Adhesive Lined Tubing — Pg. 141  
 3 to 1 Adhesive Lined Tubing — Pg. 142  
 2 to 1 PTFE Tubing — Pg. 144  
 Soldering Tool Kit — Pg. 143  
 Butane Gas — Pg. 143  
 Heat Gun — Pg. 143  
 Torches — Pg. 143

## TOOLS & TESTERS (Pg. 145-152)

Weather Pack Tools — Pg. 145 & 149  
 Torches — Pg. 145-146  
 Butane — Pg. 146  
 Heat Gun — Pg. 145  
 Feed Master Wire/Loom Tool — Pg. 145  
 Soldering Tool Kit — Pg. 146  
 Bench Mount Hot Knife — Pg. 146  
 Handheld Hot Knife — Pg. 146  
 Replacement Blades & Tips — Pg. 146  
 Cable Tie Guns — Pg. 147  
 Fuse Pullers & Tester — Pg. 147  
 Wire Spool Rack — Pg. 148  
 Battery Product Tools — Pg. 148-150  
 Crimpers/Strippers — Pg. 149-150  
 Electrical Testers — Pg. 151  
 Test Lead Sets — Pg. 151  
 Test Clips — Pg. 152  
 Charging Clips — Pg. 152  
 Cable Clamps — Pg. 152

## DISPLAYS (Pg. 153-154)

9000. — Pg. 153  
 8903. — Pg. 154

# Terminals

## Quality, why is it important?

Today's electronics, whether for automotive or heating and air, have become highly advanced and extremely sophisticated. Most manufacturers have designed in completely sealed electrical systems. This means the repair and maintenance of these electronics have become more sophisticated as well.


Now more than ever, whether it's an individual repairing their own automobile, or an experienced electrician, your customers are demanding quality parts. Inferior products can compromise the integrity of the repair, the result is a dissatisfied customer. They understand that the quality of the repair they make is only as good as the quality of the parts they used to make it.

All our products are designed to a higher standard, for example, our rings, spades and butt terminals are corrosion resistant. Our premium solder seal (SS) & crimp, solder and seal (CSS) heat shrink connectors feature pre-fluxed, low temperature solder, which delivers superior current flow and tensile strength.

Since 1978 The Best Connection, Inc. has kept pace with the ever increasing demand for products that customers can depend on to last. We are proud to provide an exceptional line of products that have been thoroughly tested and proven.

**We guarantee it.**

## Terminology: What makes a quality terminal?



- 1 Electro Tin Plating for Exceptional Corrosion Resistance. Mill Specs: MIL-T-10727C, Type 1, ASTM B 545 B. .0001" - .00025" Thick.
- 2 Insulator sleeve is color-coded for wire size and identification.
- 3 Our rings, spades and butt terminals are constructed from pure copper (Alloy 110), annealed & electro tin-plated.
- 4 Insulators made from P.V.C., nylon or heat shrink.
- 5 Terminals and connectors are clearly marked with size.
- 6 Terminals have "V" groove serrations to provide maximum contact and tensile strength after crimping.
- 7 P.V.C. and Nylon injection molded with funnel entry for fast, easy wire insertion.



See our complete line of high-quality crimpers on pages 149-150.




Convenient, reliable and easy-to-use Technician's Torches on pages 145-146.

# Premium Heat Shrink Connectors: How to properly install them

## Crimp and Seal (CS)

- Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal.
- Conforms to automotive manufacturers' specifications for wiring repairs, necessary for maintaining electrical warranties.
- Seamless butt connectors & brazed seam rings and spades prevent opening of connector barrel.
- Color-coded tubing with wire gauge imprint provides easy identification of the correct part for the job.
- A selection of over 100 sizes of connectors ensures the right part for every application.


### Installation



## Solder and Seal (SS)

- Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal.
- Easy installation with pre-measured solder takes the guesswork out of the soldering process.
- A soldered electrical connection provides superior current flow and tensile strength.
- Color-coded tubing with wire gauge imprint provides easy identification of the correct part for the job.
- Pre-fluxed, low temperature solder delivers superior current flow and tensile strength.

### Installation



## Crimp, Solder and Seal (CSS)

- Translucent, adhesive-lined heat shrink tubing allows for visual inspection and provides a seal against corrosion.
- High quality, crimp connectors provide a secure mechanical connection.
- Pre-fluxed, low temperature solder delivers superior current flow and tensile strength.
- Crimped, soldered and sealed connection meets or exceeds the most stringent OEM standards.

### Installation



## How to Properly Crimp

- Select the proper connector for wire gauge and application.
- Strip insulation 5/16" (8mm) from wire end.
- Insert stripped wire into connector barrel and crimp (indicated by arrows).



# Terminals

## Non-Insulated Rings

Stud	22-18 AWG		16-14 AWG		12-10 AWG	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	1000H	25	1006H	25	1012H	25
	1000C	100	1006C	100	1012C	100
	1000M	1000	1006M	1000	1012M	1000
8	1001H	25	1007H	25	1013H	25
	1001C	100	1007C	100	1013C	100
	1001M	1000	1007M	1000	1013M	1000
10	1002H	25	1008H	25	1014H	25
	1002C	100	1008C	100	1014C	100
	1002M	1000	1008M	1000	1014M	1000
1/4	1003H	25	1009H	25	1015H	25
	1003C	100	1009C	100	1015C	100
	1003M	1000	1009M	1000	1015M	1000
5/16	1004H	25	1010H	25	1016H	25
	1004C	100	1010C	100	1016C	100
	1004M	1000	1010M	1000	1016M	1000
3/8	1005H	25	1011H	25	1017H	25
	1005C	100	1011C	100	1017C	100
	1005M	1000	1011M	1000	1017M	1000

## Nylon Insulated Rings

Stud	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2000NSJ	20	2006NSJ	20	2012NSJ	15
	2000NSF	50	2006NSF	50	2012NSF	50
	2000NSC	100	2006NSC	100	2012NSC	100
8	2001NSJ	20	2007NSJ	20	2013NSJ	15
	2001NSF	50	2007NSF	50	2013NSF	50
	2001NSC	100	2007NSC	100	2013NSC	100
10	2002NSJ	20	2008NSJ	20	2014NSJ	15
	2002NSF	50	2008NSF	50	2014NSF	50
	2002NSC	100	2008NSC	100	2014NSC	100
1/4	2003NSJ	15	2009NSJ	15	2015NSJ	12
	2003NSF	50	2009NSF	50	2015NSF	50
	2003NSC	100	2009NSC	100	2015NSC	100
5/16	2004NSJ	15	2010NSJ	15	2016NSJ	12
	2004NSF	50	2010NSF	50	2016NSF	50
	2004NSC	100	2010NSC	100	2016NSC	100
3/8	2005NSJ	15	2011NSJ	15	2017NSJ	12
	2005NSF	50	2011NSF	50	2017NSF	50
	2005NSC	100	2011NSC	100	2017NSC	100
1/2	—	—	—	—	2018NSJ	10
	—	—	—	—	2018NSF	50
	—	—	—	—	2018NSC	100

## Vinyl Insulated Rings

Stud	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2000B	5	2006B	5	2012B	4
	2000H	19	2006H	19	2012H	14
	2000L	50	2006L	50	2012L	50
	2000C	100	2006C	100	2012C	100
	2000D	500	2006D	500	2012D	500
	2000M	1000	2006M	1000	2012M	1000
8	2001B	5	2007B	5	2013B	4
	2001H	19	2007H	19	2013H	14
	2001L	50	2007L	50	2013L	50
	2001C	100	2007C	100	2013C	100
	2001D	500	2007D	500	2013D	500
	2001M	1000	2007M	1000	2013M	1000
10	2002B	5	2008B	5	2014B	4
	2002H	19	2008H	19	2014H	14
	2002L	50	2008L	50	2014L	50
	2002C	100	2008C	100	2014C	100
	2002D	500	2008D	500	2014D	500
	2002M	1000	2008M	1000	2014M	1000
1/4	2003B	4	2009B	4	2015B	3
	2003H	14	2009H	14	2015H	12
	2003L	50	2009L	50	2015L	50
	2003C	100	2009C	100	2015C	100
	2003D	500	2009D	500	2015D	500
	2003M	1000	2009M	1000	2015M	1000
5/16	2004B	4	2010B	4	2016B	3
	2004H	14	2010H	14	2016H	12
	2004L	50	2010L	50	2016L	50
	2004C	100	2010C	100	2016C	100
	2004D	500	2010D	500	2016D	500
	2004M	1000	2010M	1000	2016M	1000
3/8	2005B	4	2011B	4	2017B	3
	2005H	14	2011H	14	2017H	12
	2005L	50	2011L	50	2017L	50
	2005C	100	2011C	100	2017C	100
	2005D	500	2011D	500	2017D	500
	2005M	1000	2011M	1000	2017M	1000
1/2	—	—	—	—	2018B	2
	—	—	—	—	2018H	7
	—	—	—	—	2018L	50
	—	—	—	—	2018C	100
	—	—	—	—	2018D	500
	—	—	—	—	2018M	1000



**Call for discounted price on bulk orders!**

**Heat Shrink Insulated Crimp Seal Rings**

	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw		8 AWG Red	
Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2300H	3	2306H	3	2312H	3	—	—
	2300F	25	2306F	25	2312F	25	—	—
	2300C	100	2306C	100	2312C	100	—	—
8	2301H	3	2307H	3	2313H	3	—	—
	2301F	25	2307F	25	2313F	25	—	—
	2301C	100	2307C	100	2313C	100	—	—
10	2302H	3	2308H	3	2314H	3	2319H	3
	2302F	25	2308F	25	2314F	25	2319F	25
	2302C	100	2308C	100	2314C	100	2319C	100
1/4	2303H	3	2309H	3	2315H	3	2320H	3
	2303F	25	2309F	25	2315F	25	2320F	25
	2303C	100	2309C	100	2315C	100	2320C	100
5/16	2304H	3	2310H	3	2316H	3	2321H	3
	2304F	25	2310F	25	2316F	25	2321F	25
	2304C	100	2310C	100	2316C	100	2321C	100
3/8	2305H	3	2311H	3	2317H	3	2322H	3
	2305F	25	2311F	25	2317F	25	2322F	25
	2305C	100	2311C	100	2317C	100	2322C	100
1/2	—	—	—	—	2318H	3	2323H	3
	—	—	—	—	2318F	25	2323F	25
	—	—	—	—	2318C	100	2323C	100



**Heat Shrink Insulated Crimp & Solder Seal Rings**

	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2330J	3	2335J	3	2338J	3
	2330F	10	2335F	10	2338F	10
	2330L	50	2335L	50	2338L	50
	2330C	100	2335C	100	2338C	100
8	2331J	3	2336J	3	2339J	3
	2331F	10	2336F	10	2339F	10
	2331L	50	2336L	50	2339L	50
	2331C	100	2336C	100	2339C	100
10	2249J	3	2246J	3	2244J	3
	2249F	10	2246F	10	2244F	10
	2249L	50	2246L	50	2244L	50
	2249C	100	2246C	100	2244C	100
1/4	2332J	3	2247J	3	2252J	3
	2332F	10	2247F	10	2252F	10
	2332L	50	2247L	50	2252L	50
	2332C	100	2247C	100	2252C	100
5/16	2333J	3	2337J	3	2253J	3
	2333F	10	2337F	10	2253F	10
	2333L	50	2337L	50	2253L	50
	2333C	100	2337C	100	2253C	100
3/8	2334J	3	2248J	3	2245J	3
	2334F	10	2248F	10	2245F	10
	2334L	50	2248L	50	2245L	50
	2334C	100	2248C	100	2245C	100
1/2	—	—	—	—	2254J	3
	—	—	—	—	2254F	10
	—	—	—	—	2254L	50
	—	—	—	—	2254C	100



**Heat Shrink Insulated Solder Seal Rings**

	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2300SJ	3	2306SJ	3	—	—
	2300SF	15	2306SF	15	—	—
	2300SC	100	2306SC	100	—	—
8	2301SJ	3	2307SJ	3	—	—
	2301SF	15	2307SF	15	—	—
	2301SC	100	2307SC	100	—	—
10	2302SJ	3	2308SJ	3	2314SJ	3
	2302SF	15	2308SF	15	2314SF	15
	2302SC	100	2308SC	100	2314SC	100
1/4	2303SJ	3	2309SJ	3	2315SJ	3
	2303SF	15	2309SF	15	2315SF	15
	2303SC	100	2309SC	100	2315SC	100
5/16	2304SJ	3	2310SJ	3	2316SJ	3
	2304SF	15	2310SF	15	2316SF	15
	2304SC	100	2310SC	100	2316SC	100
3/8	2305SJ	3	2311SJ	3	2317SJ	3
	2305SF	15	2311SF	15	2317SF	15
	2305SC	100	2311SC	100	2317SC	100
1/2	—	—	—	—	2318SJ	3
	—	—	—	—	2318SF	15
	—	—	—	—	2318SC	100




**See our complete line of quality crimpers starting on page 149**

# Terminals

## Butt Connectors

26-24 AWG Ylw		22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw		8 AWG Red	
Part #	Pcs	Part #	Pcs	Part #	Pcs	Part #	Pcs	Part #	Pcs
<b>Non-Insulated Butted Seam</b>									
—	—	1060H	25	1061H	25	1062F	25	—	—
—	—	1060L	50	1061L	50	1062L	50	—	—
—	—	1060C	100	1061C	100	1062C	100	—	—
—	—	1060M	1000	1061M	1000	1062M	1000	—	—
<b>Non-Insulated Seamless</b>									
—	—	1060SF	25	1061SF	25	1062SF	25	1063P	25
—	—	1060SL	50	1061SL	50	1062SL	50	1063L	50
—	—	1060SC	100	1061SC	100	1062SC	100	1063C	100
—	—	1060SM	1000	1061SM	1000	1062SM	1000	1063M	1000
<b>Vinyl Insulated</b>									
—	—	2060B	5	2061B	5	2062B	3	2063H	2
—	—	2060H	20	2061H	20	2062H	14	2063F	10
—	—	2060L	50	2061L	50	2062L	50	2063L	50
—	—	2060C	100	2061C	100	2062C	100	2063C	100
—	—	2060D	500	2061D	500	2062D	500	2063D	500
—	—	2060M	1000	2061M	1000	2062M	1000	2063M	1000
<b>Nylon Insulated</b>									
2091B	3	2065B	4	2066B	4	2067B	2	—	—
2091H	11	2065H	14	2066H	14	2067H	8	—	—
2091L	50	2065L	50	2066L	50	2067L	50	—	—
2091C	100	2065C	100	2066C	100	2067C	100	—	—
2091D	500	2065D	500	2066D	500	2067D	500	—	—
2091M	1000	2065M	1000	2066M	1000	2067M	1000	—	—
<b>Heat Shrink Butt Connectors</b>									
24-22 AWG Clear		22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw		8 AWG Red	
Part #	Pcs	Part #	Pcs	Part #	Pcs	Part #	Pcs	Part #	Pcs
<b>Heat Shrink Insulated-Crimp Seal</b>									
2369H	3	2370H	3	2371H	3	2372H	3	2260H	3
2369F	25	2370F	25	2371F	25	2372F	25	2260F	10
2369L	50	2370L	50	2371L	50	2372L	50	2260L	50
2369C	100	2370C	100	2371C	100	2372C	100	2260C	100
<b>Heat Shrink Insulated-Window Crimp Seal</b>									
—	—	2970J	5	2971J	5	2972J	5	—	—
—	—	2970F	10	2971F	10	2972F	10	—	—
—	—	2970FPB	25	2971FPB	25	2972FPB	25	—	—
—	—	2970L	50	2971L	50	2972L	50	—	—
—	—	2970C	100	2971C	100	2972C	100	—	—
<b>Heat Shrink Insulated-Solder Seal</b>									
2369SJ	3	2370SJ	3	2371SJ	3	2372SJ	3	2260SJ	3
2369SF	15	2370SF	15	2371SF	15	2372SF	15	2260SF	15
2369SL	50	2370SL	50	2371SL	50	2372SL	50	2260SL	50
2369SC	100	2370SC	100	2371SC	100	2372SC	100	2260SC	100
<b>Heat Shrink Insulated-Crimp &amp; Solder Seal</b>									
2243J	3	2242J	3	2241J	3	2240J	3	—	—
2243F	10	2242F	10	2241F	10	2240F	10	—	—
2243L	50	2242L	50	2241L	50	2240L	50	—	—
2243C	100	2242C	100	2241C	100	2240C	100	—	—



## Step-Down Butt Connectors

24-22 to 20-18 AWG Red		20-18 to 16-14 AWG Blue		16-14 to 12-10 AWG Yel		12-10 to 8 AWG Red	
Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs
<b>Non-Insulated</b>							
1160F	10	1161F	10	1162F	10	1163F	10
1160L	50	1161L	50	1162L	50	1163L	50
1160C	100	1161C	100	1162C	100	1163C	100
1160M	1000	1161M	1000	1162M	1000	1163M	1000
<b>Heat Shrink Insulated-Crimp Seal</b>							
2264F	10	2261F	10	2262F	10	2263F	10
2264L	50	2261L	50	2262L	50	2263L	50
2264C	100	2261C	100	2262C	100	2263C	100
2264M	1000	2261M	1000	2262M	1000	2263M	1000
<b>Heat Shrink Insulated-Crimp &amp; Solder Seal</b>							
2256F	10	2257F	10	2258F	10	2259F	10
2256L	50	2257L	50	2258L	50	2259L	50
2256C	100	2257C	100	2258C	100	2259C	100
2256M	1000	2257M	1000	2258M	1000	2259M	1000



26-24 to 22-18 AWG Red		22-18 to 16-14 AWG Blue		16-14 to 12-10 AWG Yel		12-10 to 8 AWG Red	
Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs

<b>Vinyl Insulated</b>							
2170H	2	2171H	2	2181H	2	2191H	2
2170F	25	2171F	25	2181F	25	2191F	25
2170C	100	2171C	100	2181C	100	2191C	100
2170M	1000	2171M	1000	2181M	1000	2191M	1000

## In-Line Multiple Wire Butt Connectors Heat Shrink Insulated - Crimp Seal

- One Wire to Two Wires**
- 4:1 Adhesive on inside melts down to protect wire from corrosion.
  - Connects two wires of smallest AWG or one of the larger AWG on opposite end.
  - Premium alternative to use instead of a quick-tap or scotch lock.
  - Color stripes on the connector indicate which crimp die to use.
  - Color dash on tubing indicates the wire gauge size that can be used.



24-22 to 20-18 AWG Clear/White Dash		20-18 to 16-14 AWG Clear/Red Dash		16-14 to 12-10 AWG Clear/Blue Dash		12-10 to 8 AWG Clear/Yellow Dash	
Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs

<b>Heat Shrink Insulated-Crimp Seal</b>							
2269J	5	2270J	5	2271J	5	2272J	5
2269F	10	2270F	10	2271F	10	2272F	10
2269FPB	25	2270FPB	25	2271FPB	25	2272FPB	25
2269L	50	2270L	50	2271L	50	2272L	50
2269C	100	2270C	100	2271C	100	2272C	100
2269M	1000	2270M	1000	2271M	1000	2272M	1000



## Packaged Assortments

We've packaged popular sized terminals together for easy and convenient use. Choose from a variety of products. There's a perfect choice for every application. See pages 17-20





# Terminals



H.D. Non-Insulated Rings										
AWG	#10 Stud		1/4" Stud		5/16" Stud		3/8" Stud		1/2" Stud	
	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs
8	1019H	7	1020H	7	1021H	7	1022H	7	1023H	7
	1019P	25	1020P	25	1021P	25	1022P	25	1023P	25
	1019C	100	1020C	100	1021C	100	1022C	100	1023C	100
6	1024H	4	1025H	4	1026H	4	1027H	4	1028H	2
	1024P	25	1025P	25	1026P	25	1027P	25	1028P	25
	1024C	100	1025C	100	1026C	100	1027C	100	1028C	100
4	—	—	1029H	3	1030H	3	1031H	3	1032F	3
	—	—	1029P	25	1030P	25	1031P	25	1032P	25
	—	—	1029C	100	1030C	100	1031C	100	1032C	100
2	—	—	1033H	2	1034H	2	1035H	2	1036F	2
	—	—	1033P	25	1034P	25	1035P	25	1036P	25
	—	—	1033C	100	1034C	100	1035C	100	1036C	100
1/0	—	—	1071F	2	1072F	2	1073F	2	1074F	2
	—	—	1071P	25	1072P	25	1073P	25	1074P	25
	—	—	1071C	100	1072C	100	1073C	100	1074C	100
2/0	—	—	1075F	2	1076F	2	1077F	2	1078F	2
	—	—	1075P	25	1076P	25	1077P	25	1078P	25
	—	—	1075C	100	1076C	100	1077C	100	1078C	100
3/0	—	—	—	—	—	—	1079F	2	1080F	2
	—	—	—	—	—	—	1079P	25	1080P	25
	—	—	—	—	—	—	1079C	100	1080C	100

H.D. Seamless Copper Lugs with Flared Ends										
AWG	#10 Stud		1/4" Stud		5/16" Stud		3/8" Stud		1/2" Stud	
	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs
8	1300F	5	1344F	5	1345F	5	1346F	5	1347F	5
	1300P	25	1344P	25	1345P	25	1346P	25	1347P	25
	1300C	100	1344C	100	1345C	100	1346C	100	1347C	100
6	1301F	5	1303F	5	1302F	5	1305F	5	1306F	5
	1301P	25	1303P	25	1302P	25	1305P	25	1306P	25
	1301C	100	1303C	100	1302C	100	1305C	100	1306C	100
4	—	—	1307F	5	1308F	5	1309F	5	1310F	5
	—	—	1307P	25	1308P	25	1309P	25	1310P	25
	—	—	1307C	100	1308C	100	1309C	100	1310C	100
2	—	—	1312F	5	1313F	5	1314F	5	1315F	5
	—	—	1312P	25	1313P	25	1314P	25	1315P	25
	—	—	1312C	100	1313C	100	1314C	100	1315C	100
1	—	—	1318F	5	1316F	5	1319F	5	1320F	5
	—	—	1318P	25	1316P	25	1319P	25	1320P	25
	—	—	1318C	100	1316C	100	1319C	100	1320C	100
1/0	—	—	1322F	5	1323F	5	1324F	5	1325F	5
	—	—	1322P	25	1323P	25	1324P	25	1325P	25
	—	—	1322C	100	1323C	100	1324C	100	1325C	100
2/0	—	—	1328F	5	1329F	5	1330F	5	1331F	5
	—	—	1328P	25	1329P	25	1330P	25	1331P	25
	—	—	1328C	100	1329C	100	1330C	100	1331C	100
3/0	—	—	—	—	—	—	1336F	5	1337F	5
	—	—	—	—	—	—	1336P	25	1337P	25
	—	—	—	—	—	—	1336C	100	1337C	100
4/0	—	—	—	—	—	—	1342F	5	1343F	5
	—	—	—	—	—	—	1342P	25	1343P	25
	—	—	—	—	—	—	1342C	100	1343C	100



## H.D. Seamless Tin-Plated Copper Butt Connectors

AWG	Part#	Pcs
8	1063F	4
	1063P	25
	1063C	100
6	1064F	2
	1064P	25
	1064C	100
4	1065F	2
	1065P	25
	1065C	100
2	1066F	2
	1066P	25
	1066C	100
1/0	1067F	2
	1067P	25
	1067C	100
2/0	1068F	2
	1068P	25
	1068C	100
3/0	1069F	2
	1069P	25
	1069C	100
4/0	1070F	2
	1070P	25
	1070C	100



## H.D. Seamless Tin-Plated Copper Butt Connectors with Flared Ends

AWG	Part#	Pcs
8	1349F	5
	1349P	25
	1349C	100
6	1350F	5
	1350P	25
	1350C	100
4	1351F	5
	1351P	25
	1351C	100
2	1352F	5
	1352P	25
	1352C	100
1	1353F	5
	1353P	25
	1353C	100
1/0	1354F	5
	1354P	25
	1354C	100
2/0	1355F	5
	1355P	25
	1355C	100
3/0	1356F	5
	1356P	25
	1356C	100
4/0	1357F	5
	1357P	25
	1357C	100



**H.D. Vinyl Insulated Butt Connectors**

AWG	Part#	Pcs
8	2063H	2
	2063P	25
	2063C	100
6	2064H	2
	2064P	25
	2064C	100
4	2068F	2
	2068P	25
	2068C	100
2	2069F	2
	2069P	25
	2069C	100



**H.D. Vinyl Insulated Rings**

AWG	#10 Stud		1/4" Stud		5/16" Stud		3/8" Stud		1/2" Stud	
	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs
8	2019H	4	2020H	4	2021H	4	2022H	4	2023H	2
	2019F	25	2020F	25	2021F	25	2022F	25	2023F	25
	2019C	100	2020C	100	2021C	100	2022C	100	2023C	100
6	2024H	3	2025H	3	2026H	3	2027H	3	2028H	2
	2024F	25	2025F	25	2026F	25	2027F	25	2028F	25
	2024C	100	2025C	100	2026C	100	2027C	100	2028C	100
4	—	—	2029J	2	2030J	2	2031J	2	2032J	2
	—	—	2029F	25	2030F	25	2031F	25	2032F	25
	—	—	2029C	100	2030C	100	2031C	100	2032C	100
2	—	—	2033J	2	2034J	2	2035J	2	2036J	2
	—	—	2033F	25	2034F	25	2035F	25	2036F	25
	—	—	2033C	100	2034C	100	2035C	100	2036C	100



**Non-Insulated Spades**

Stud	22-18 AWG		16-14 AWG		12-10 AWG	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	1050H	25	1053H	25	1056H	25
	1050C	100	1053C	100	1056C	100
	1050M	1000	1053M	1000	1056M	1000
8	1051H	25	1054H	25	1057H	25
	1051C	100	1054C	100	1057C	100
	1051M	1000	1054M	1000	1057M	1000
10	1052H	25	1055H	25	1058H	25
	1052C	100	1055C	100	1058C	100
	1052M	1000	1055M	1000	1058M	1000



**Vinyl Insulated Flanged Spades**

Stud	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2080H	10	2079H	10	2086H	6
	2080F	25	2079F	25	2086F	25
	2080C	100	2079C	100	2086C	100
	2080M	1000	2079M	1000	2086M	1000
8	2081H	10	2084H	10	2087H	6
	2081F	25	2084F	25	2087F	25
	2081C	100	2084C	100	2087C	100
	2081M	1000	2084M	1000	2087M	1000
10	2082H	10	2078H	10	2088H	6
	2082F	25	2078F	25	2088F	25
	2082C	100	2078C	100	2088C	100
	2082M	1000	2078M	1000	2088M	1000



**Vinyl Insulated Spades**

Stud	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2050B	5	2053B	5	2056B	4
	2050H	19	2053H	19	2056H	14
	2050C	100	2053C	100	2056C	100
	2050M	1000	2053M	1000	2056M	1000
8	2051B	5	2054B	5	2057B	4
	2051H	19	2054H	19	2057H	14
	2051C	100	2054C	100	2057C	100
	2051M	1000	2054M	1000	2057M	1000
10	2052B	5	2055B	5	2058B	4
	2052H	19	2055H	19	2058H	14
	2052C	100	2055C	100	2058C	100
	2052M	1000	2055M	1000	2058M	1000




**Nylon Insulated Spades**

Stud	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2050NSJ	20	2053NSJ	20	2056NSJ	15
	2050NSF	50	2053NSF	50	2056NSF	50
	2050NSC	100	2053NSC	100	2056NSC	100
8	2051NSJ	20	2054NSJ	20	2057NSJ	15
	2051NSF	50	2054NSF	50	2057NSF	50
	2051NSC	100	2054NSC	100	2057NSC	100
10	2052NSJ	20	2055NSJ	20	2058NSJ	15
	2052NSF	50	2055NSF	50	2058NSF	50
	2052NSC	100	2055NSC	100	2058NSC	100




# Terminals

## Heat Shrink Insulated Crimp Seal Spades




	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2350H	3	2353H	3	2356H	2
	2350F	25	2353F	25	2356F	25
	2350C	100	2353C	100	2356C	100
8	2351H	3	2354H	3	2357H	2
	2351F	25	2354F	25	2357F	25
	2351C	100	2354C	100	2357C	100
10	2352H	3	2355H	3	2358H	2
	2352F	25	2355F	25	2358F	25
	2352C	100	2355C	100	2358C	100
1/4	—	—	2360H	3	2359H	2
	—	—	2360F	25	2359F	25
	—	—	2360C	100	2359C	100

## Heat Shrink Insulated Solder Seal Spades




	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
10	2352SJ	3	2355SJ	3	2358SJ	3
	2352SF	15	2355SF	15	2358SF	15
	2352SC	100	2355SC	100	2358SC	100

## Heat Shrink Insulated Crimp & Solder Seal Spades




	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2340J	3	2343J	3	2346J	3
	2340F	10	2343F	10	2346F	10
	2340L	50	2343L	50	2346L	50
	2340C	100	2343C	100	2346C	100
8	2341J	3	2344J	3	2347J	3
	2341F	10	2344F	10	2347F	10
	2341L	50	2344L	50	2347L	50
	2341C	100	2344C	100	2347C	100
10	2342J	3	2345J	3	2348J	3
	2342F	10	2345F	10	2348F	10
	2342L	50	2345L	50	2348L	50
	2342C	100	2345C	100	2348C	100

## Heat Shrink Insulated Crimp Seal Flanged Spades




	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
6	2390J	10	2393J	10	2396J	10
	2390F	25	2393F	25	2396F	25
	2390C	100	2393C	100	2396C	100
8	2391J	10	2394J	10	2397J	10
	2391F	25	2394F	25	2397F	25
	2391C	100	2394C	100	2397C	100
10	2392J	10	2395J	10	2398J	10
	2392F	25	2395F	25	2398F	25
	2392C	100	2395C	100	2398C	100

## Push-On Non-Insulated Male Disconnects



	22-18 AWG		16-14 AWG		12-10 AWG	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
.110	1100H	25	—	—	—	—
	1100C	100	—	—	—	—
	1100M	1000	—	—	—	—
.187	1110H	25	1111H	25	—	—
	1110C	100	1111C	100	—	—
	1110M	1000	1111M	1000	—	—
.250	1103H	25	1106H	25	1108H	25
	1103C	100	1106C	100	1108C	100
	1103M	1000	1106M	1000	1108M	1000

## Push-On Non-Insulated Female Disconnects



	22-18 AWG		16-14 AWG		12-10 AWG	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
.110	1101H	25	—	—	—	—
	1101C	100	—	—	—	—
	1101M	1000	—	—	—	—
.187	1112H	25	1104H	25	—	—
	1112C	100	1104C	100	—	—
	1112M	1000	1104M	1000	—	—
.250	1102H	25	1105H	25	1107H	25
	1102C	100	1105C	100	1107C	100
	1102M	1000	1105M	1000	1107M	1000

**Push-On Vinyl Insulated Male Disconnects**



	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
.110	2100AH	19	2133H	19	—	—
	2100AC	100	2133C	100	—	—
	2100AM	1000	2133M	1000	—	—
.187	2101AF	19	2104AH	19	—	—
	2101AC	100	2104AC	100	—	—
	2101AM	1000	2104AM	1000	—	—
.250	2103B	5	2106B	5	2108B	3
	2103H	19	2106H	20	2108H	15
	2103L	50	2106L	50	2108F	50
	2103C	100	2106C	100	2108C	100
	2103D	500	2106D	500	2108D	500
	2103M	1000	2106M	1000	2108M	1000

**Push-On Nylon Insulated Male Disconnects**



	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
.187	2101ANSJ	20	2104ANSJ	20	—	—
	2101ANSF	50	2104ANSF	50	—	—
	2101ANSC	100	2104ANSC	100	—	—
.250	2103NSJ	20	2106NSJ	20	2108NSJ	15
	2103NSF	50	2106NSF	50	2108NSF	50
	2103NSC	100	2106NSC	100	2108NSC	100

**Push-On Vinyl Insulated Female Disconnects**



	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
.110	2100H	19	2132H	19	—	—
	2100C	100	2132C	100	—	—
	2100M	1000	2132M	1000	—	—
.187	2101H	19	2104H	19	—	—
	2101C	100	2104C	100	—	—
	2101M	1000	2104M	1000	—	—
.250	2102B	5	2105B	5	2107B	3
	2102H	19	2105H	20	2107H	15
	2102L	50	2105L	50	2107L	50
	2102C	100	2105C	100	2107C	100
	2102D	500	2105D	500	2107D	500
	2102M	1000	2105M	1000	2107M	1000

**Push-On Nylon Insulated Female Disconnects**



	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
.110	2100NSJ	25	2132NSH	8	—	—
	2100NSC	100	2132NSC	100	—	—
.187	2101NSJ	20	2104NSJ	20	—	—
	2101NSF	50	2104NSF	50	—	—
	2101NSC	100	2104NSC	100	—	—
.250	2102NSJ	20	2105NSJ	20	2107NSJ	15
	2102NSF	50	2105NSF	50	2107NSF	50
	2102NSC	100	2105NSC	100	2107NSC	100


**T-Tap Splice Connectors**

Use T-Tap Splice Connectors with matching fully insulated male disconnect.



**Convenient Terminal kits make it easy for customers to get exactly what they need. See all available kits starting on page 21**

# Terminals



## Push-On Heat Shrink Insulated Male Disconnects

	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
	<b>Crimp Seal</b>					
.250	2363J	3	2366J	3	2368J	3
	2363F	25	2366F	25	2368F	25
	2363C	100	2366C	100	2368C	100
	<b>Solder Seal</b>					
.250	2363SJ	3	2366SJ	3	2368SJ	3
	2363SF	15	2366SF	15	2368SF	15
	2363SC	100	2366SC	100	2368SC	100
	<b>Crimp &amp; Solder Seal</b>					
.250	2281J	3	2251J	3	2283J	3
	2281F	10	2251F	10	2283F	10
	2281C	100	2251C	100	2283C	100

## Push-On Heat Shrink Insulated Female Disconnects

	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
	<b>Crimp Seal</b>					
.250	2362J	3	2365J	3	2367J	3
	2362F	25	2365F	25	2367F	25
	2362C	100	2365C	100	2367C	100
	<b>Solder Seal</b>					
.250	2362SJ	3	2365SJ	3	2367SJ	3
	2362SF	15	2365SF	15	2367SF	15
	2362SC	100	2365SC	100	2367SC	100
	<b>Crimp &amp; Solder Seal</b>					
.250	2280J	3	2250J	3	2282J	3
	2280F	10	2250F	10	2282F	10
	2280C	100	2250C	100	2282C	100

## Push-On / Fully Insulated Nylon Male Disconnects

	22-18 AWG Red			16-14 AWG Blue			12-10 AWG Ylw		
Tab	Part#	Pcs	Style	Part#	Pcs	Style	Part#	Pcs	Style
.250	2115H	10	A	2117B	3	A	2119H	7	B
	2115F	25	A	2117H	10	A	2119F	25	B
	2115L	50	A	2117F	50	A	2119L	50	B
	2115C	100	A	2117C	100	A	2119C	100	B
	2115D	500	A	2117D	500	A	2119D	500	B

## Push-On / Fully Insulated Nylon Female Disconnects

	22-18 AWG Red			16-14 AWG Blue			12-10 AWG Ylw		
Tab	Part#	Pcs	Style	Part#	Pcs	Style	Part#	Pcs	Style
.250	2114H	10	A	2116B	3	A	2118H	7	B
	2114F	25	A	2116H	10	A	2118F	25	B
	2114L	50	A	2116F	50	A	2118L	50	B
	2114C	100	A	2116C	100	A	2118C	100	B
	2114D	500	A	2116D	500	A	2118D	500	B

## Push-On / Fully Insulated Heat Shrink Crimp Seal Male Disconnects

	22-18 AWG Red			16-14 AWG Blue			12-10 AWG Ylw		
Tab	Part#	Pcs	Style	Part#	Pcs	Style	Part#	Pcs	Style
.250	2373H	3	B	2375H	3	B	2377H	3	B
	2373J	10	B	2375J	10	B	2377J	10	B
	2373F	25	B	2375F	25	B	2377F	25	B
	2373C	100	B	2375C	100	B	2377C	100	B

## Push-On / Fully Insulated Heat Shrink Crimp Seal Female Disconnects

	22-18 AWG Red			16-14 AWG Blue			12-10 AWG Ylw		
Tab	Part#	Pcs	Style	Part#	Pcs	Style	Part#	Pcs	Style
.250	2374H	3	B	2376H	3	B	2378H	3	B
	2374J	10	B	2376J	10	B	2378J	10	B
	2374F	25	B	2376F	25	B	2378F	25	B
	2374C	100	B	2376C	100	B	2378C	100	B

## Push-On / Fully Insulated Heat Shrink Solder Seal Female Disconnects

	22-18 AWG Red			16-14 AWG Blue			12-10 AWG Ylw		
Tab	Part#	Pcs	Style	Part#	Pcs	Style	Part#	Pcs	Style
.250	2374SJ	3	B	2376SJ	3	B	2378SJ	3	B
	2374SF	15	B	2376SF	15	B	2378SF	15	B
	2374SFPB	25	B	2376SFPB	25	B	2378SFPB	25	B
	2374SC	100	B	2376SC	100	B	2378SC	100	B

**Small Gauge Terminals**

**Nylon Insulated Rings**

**26-24 AWG Ylw**

Stud	Part#	Pcs
2	2083F	20
	2083L	50
	2083C	100

**Nylon Insulated Rings**

**24-20 AWG Ylw**

Stud	Part#	Pcs
4	2094NSF	20
	2094NSL	50
	2094NSC	100

**Nylon Insulated Rings**

**24-20 AWG Ylw**

Stud	Part#	Pcs
6	2095NSF	20
	2095NSL	50
	2095NSC	100

**Nylon Insulated Rings**

**24-20 AWG Ylw**

Stud	Part#	Pcs
8	2085NSF	20
	2085NSL	50
	2085NSC	100

**Nylon Insulated Rings**

**24-20 AWG Ylw**

Stud	Part#	Pcs
10	2096NSF	20
	2096NSL	50
	2096NSC	100

**Nylon Insulated Spades**

**26-24 AWG Ylw**

Stud	Part#	Pcs
10	2090H	20
	2090L	50
	2090C	100

**Nylon Insulated Spades**

**24-20 AWG Ylw**

Stud	Part#	Pcs
10	2092H	20
	2092L	50
	2092C	100

**Nylon Insulated Female Disconnects**

**26-24 AWG Ylw**

Tab	Part#	Pcs
.110	2093H	20
	2093L	50
	2093C	100

**Nylon Insulated Butt Connectors**

**26-24 AWG Ylw**

Part#	Pcs
2091H	11
2091L	50
2091C	100

**Vinyl Insulated Pin Terminals**

**22-18 AWG Red 16-14 AWG Blue 12-10 AWG Ylw**

Part#	Pcs	Part#	Pcs	Part#	Pcs
2290H	14	2291H	12	2292H	8
2290L	50	2291L	50	2292L	50
2290C	100	2291C	100	2292C	100
2290M	1000	2291M	1000	2292M	1000

**Vinyl Insulated Hook Terminals**

**22-18 AWG Red 16-14 AWG Blue 12-10 AWG Ylw**

Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
10	2141H	6	2142H	6	2143H	4
	2141F	25	2142F	25	2143F	25
	2141C	100	2142C	100	2143C	100
	2141M	1000	2142M	1000	2143M	1000

**Nylon Insulated Hook Terminals**

**22-18 AWG Red 16-14 AWG Blue 12-10 AWG Ylw**

Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
10	2172H	6	2174H	6	2173H	4
	2172F	25	2174F	25	2173F	25
	2172C	100	2174C	100	2173C	100
	2172M	1000	2174M	1000	2173M	1000

**Heat Shrink Insulated Crimp Seal Hook Terminals**

**22-18 AWG Red 16-14 AWG Blue 12-10 AWG Ylw**

Stud	Part#	Pcs	Part#	Pcs	Part#	Pcs
10	2161H	2	2162H	2	2163H	2
	2161F	25	2162F	25	2163F	25
	2161C	100	2162C	100	2163C	100
	2161M	1000	2162M	1000	2163M	1000

**Piggyback Terminals**


**22-18 AWG Red 16-14 AWG Blue 12-10 AWG Ylw**

Tab	Part#	Pcs	Part#	Pcs	Part#	Pcs
<b>Non-Insulated</b>						
.250	1124H	10	1109H	9	1125H	5
	1124F	25	1109F	25	1125F	25
	1124C	100	1109C	100	1125C	100
<b>Vinyl Insulated</b>						
.250	2134H	10	2109H	9	2135H	5
	2134F	25	2109F	25	2135F	25
	2134C	100	2109C	100	2135C	100
	2134M	1000	2109M	1000	2135M	1000
<b>Nylon Insulated</b>						
.250	2134NSJ	10	2109NSJ	10	—	—
	2134NSF	25	2109NSF	25	—	—
	2134NSC	100	2109NSC	100	—	—
	2134NSM	1000	2109NSM	1000	—	—
<b>Heat Shrink Insulated-Crimp Seal</b>						
.250	2234J	10	2209J	10	2235J	10
	2234F	25	2209F	25	2235F	25
	2234C	100	2209C	100	2235C	100
	2234M	1000	2209M	1000	2235M	1000

# Terminals


**Non-Insulated Male Flag Disconnects**

Tab	22-18 AWG		16-14 AWG		12-10 AWG	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
.250	—	—	2299F	25	—	—
	—	—	2299C	100	—	—
	—	—	2299M	1000	—	—




**Non-Insulated Female Flag Disconnects**

Tab	22-18 AWG		16-14 AWG		12-10 AWG	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
.187	—	—	1115F	35	—	—
	—	—	1115C	100	—	—
.250	1118H	15	1116H	15	1117H	15
	1118C	100	1116C	100	1117C	100
	1118M	1000	1116M	1000	1117M	1000




**Specialty Non-Insulated Flag Rings**

Stud	22-18 AWG		16-14 AWG		12-10 AWG	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
10	—	—	1040B	5	1041B	5
	—	—	1040F	25	1041F	25
	—	—	1040C	100	1041C	100



**Specialty Non-Insulated Flag Spades**

Stud	22-18 AWG		16-14 AWG		12-10 AWG	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
10	—	—	1043B	5	1044B	5
	—	—	1043F	25	1044F	25
	—	—	1043C	100	1044C	100




*Call for discounted price on bulk orders!*

## Specialty Non-Insulated Flag Compressor Terminals


**12-8 AWG**

Tab	Part#	Pcs
.250	1119H	7
	1119F	25
	1119C	100




## Fully Insulated Nylon Female Flag Terminals

Tab	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
.250	2293H	8	2294H	8	2295H	4
	2293F	25	2294F	25	2295F	25
	2293C	100	2294C	100	2295C	100
	2293M	1000	2294M	1000	2295M	1000






## Fully Insulated Heat Shrink Crimp Seal Female Flag Terminals

Tab	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
.250	2296J	10	2297J	10	2298J	10
	2296F	25	2297F	25	2298F	25
	2296C	100	2297C	100	2298C	100
	2296M	1000	2297M	1000	2298M	1000



## 3-Way (Y) Connectors

Part#	22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
	Pcs	Part#	Pcs	Part#	Pcs	Part#
<b>Vinyl Insulated</b>						
2165H	4	2166H	4	2167H	3	
2165F	25	2166F	25	2167F	25	
2165C	100	2166C	100	2167C	100	
2165M	1000	2166M	1000	2167M	1000	
<b>Nylon Insulated</b>						
2175H	4	2176H	4	2177H	3	
2175F	25	2176F	25	2177F	25	
2175C	100	2176C	100	2177C	100	
2175M	1000	2176M	1000	2177M	1000	
<b>Heat Shrink Insulated-Crimp Seal</b>						
2185H	2	2186H	2	2187H	2	
2185J	5	2186J	5	2187J	5	
2185F	25	2186F	25	2187F	25	
2185C	100	2186C	100	2187C	100	
2185M	1000	2186M	1000	2187M	1000	

<b>Bullet (Male) Connectors</b>				
22-18 AWG Red		16-14 AWG Blue		
Dia.	Part#	Pcs	Part#	Pcs
<b>Vinyl Insulated</b>				
.157	2125H	19	2111H	20
	2125L	50	2111F	50
	2125C	100	2111C	100
	2125M	1000	2111M	1000
.176	—	—	2110H	19
	—	—	2110L	50
	—	—	2110C	100
	—	—	2110M	1000
<b>Nylon Insulated</b>				
.157	2125NSJ	20	2111NSJ	20
	2125NSL	50	2111NSL	50
	2125NSC	100	2111NSC	100
	2125NSM	1000	2111NSM	1000
.176	—	—	2110NSJ	20
	—	—	2110NSL	50
	—	—	2110NSC	100
	—	—	2110NSM	1000
<b>Heat Shrink Insulated-Crimp Seal</b>				
.157	2130F	10	2136F	10
	2130L	50	2136L	50
	2130C	100	2136C	100
	2130M	1000	2136M	1000
.176	2145F	10	2138F	10
	2145L	50	2138L	50
	2145C	100	2138C	100
	2145M	1000	2138M	1000



<b>Receptacle (Female) Connectors</b>				
22-18 AWG Red		16-14 AWG Blue		
Dia.	Part#	Pcs	Part#	Pcs
<b>Vinyl Insulated</b>				
.157	2124H	7	2112H	7
	2124L	50	2112F	50
	2124C	100	2112C	100
	2124M	1000	2112M	1000
.176	—	—	2123H	7
	—	—	2123L	50
	—	—	2123C	100
	—	—	2123M	1000
<b>Nylon Insulated</b>				
.157	2124NSJ	7	2112NSJ	7
	2124NSL	50	2112NSL	50
	2124NSC	100	2112NSC	100
	2124NSM	1000	2112NSM	1000
.176	—	—	2123NSJ	7
	—	—	2123NSL	50
	—	—	2123NSC	100
	—	—	2123NSM	1000
<b>Heat Shrink Insulated-Crimp Seal</b>				
.157	2140F	10	2137F	10
	2140L	50	2137L	50
	2140C	100	2137C	100
	2140M	1000	2137M	1000
.176	2146F	10	2139F	10
	2146L	50	2139L	50
	2146C	100	2139C	100
	2146M	1000	2139M	1000



<b>4-Way (X) Connectors</b>					
22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Part#	Pcs	Part#	Pcs	Part#	Pcs
<b>Vinyl Insulated</b>					
2265H	4	2266H	4	2267H	2
2265F	25	2266F	25	2267F	25
2265C	100	2266C	100	2267C	100
2265M	1000	2266M	1000	2267M	1000
<b>Nylon Insulated</b>					
2275H	4	2276H	4	2277H	2
2275F	25	2276F	25	2277F	25
2275C	100	2276C	100	2277C	100
2275M	1000	2276M	1000	2277M	1000
<b>Heat Shrink Insulated-Crimp Seal</b>					
2285H	1	2286H	1	2287H	1
2285J	5	2286J	5	2287J	5
2285F	25	2286F	25	2287F	25
2285C	100	2286C	100	2287C	100
2285M	1000	2286M	1000	2287M	1000



<b>Specialty Receptacle (Female) Connectors</b>		
16-14 AWG		
Dia.	Part#	Pcs
<b>Nylon Insulated-Double Plug</b>		
.157	1213B	2
	1213H	9
	1213C	100
	1213M	1000
<b>3M 16-14 AWG In-Line Receptacle</b>		
.157	1221H	6
	1221F	50
	1221C	100
	1221M	1000






# Terminals

## High Temperature Terminals

Continuous Operating Temp. is Rated 900°F (482°C)  
Constructed of Nickel Plated Steel

	22-18 AWG		16-14 AWG		12-10 AWG	
	Part#	Pcs	Part#	Pcs	Part#	Pcs
<b>Stud</b>	<b>Non-Insulated Rings</b>					
6	91000F	30	91006F	30	91012F	20
	91000C	100	91006C	100	91012C	100
	91000M	1000	91006M	1000	91012M	1000
8	91001F	30	91007F	30	91013F	20
	91001C	100	91007C	100	91013C	100
	91001M	1000	91007M	1000	91013M	1000
10	91002F	30	91008F	30	91014F	20
	91002C	100	91008C	100	91014C	100
	91002M	1000	91008M	1000	91014M	1000
1/4	91003F	30	91009F	20	91015F	14
	91003C	100	91009C	100	91015C	100
	91003M	1000	91009M	1000	91015M	1000
5/16	91004F	30	91010F	20	91016F	14
	91004C	100	91010C	100	91016C	100
	91004M	1000	91010M	1000	91016M	1000
3/8	91005F	30	91011F	20	91017F	14
	91005C	100	91011C	100	91017C	100
	91005M	1000	91011M	1000	91017M	1000
	<b>Non-Insulated Butt Connectors</b>					
	91060F	25	91061F	25	91062F	25
	91060C	100	91061C	100	91062C	100
	91060M	1000	91061M	1000	91062M	1000
<b>Stud</b>	<b>Non-Insulated Spades</b>					
10	91052F	25	91055F	25	91058F	25
	91052C	100	91055C	100	91058C	100
	91052M	1000	91055M	1000	91058M	1000
<b>Tab</b>	<b>Non-Insulated Female Disconnects</b>					
.187	—	—	91104F	20	—	—
	—	—	91104C	100	—	—
	—	—	91104M	1000	—	—
.250	91103F	20	91105F	20	91107F	20
	91103C	100	91105C	100	91107C	100
	91103M	1000	91105M	1000	91107M	1000
<b>Tab</b>	<b>Non-Insulated Male Disconnects</b>					
.250	—	—	91106F	20	—	—
	—	—	91106C	100	—	—
	—	—	91106M	1000	—	—
<b>Tab</b>	<b>Non-Insulated Flag Terminals</b>					
.250	—	—	91116F	20	91117F	20
	—	—	91116C	100	91117C	100
	—	—	91116M	1000	91117M	1000



## 56 Series - Split Disconnect Tang Locking



	18-14 AWG Male Tin-Plated Brass OEM# 02971962		18-14 AWG Female Brass OEM# 02962447	
Tab	Part#	Pcs	Part#	Pcs
.250	1202F	15	1200F	15
	1202C	100	1200C	100
	1202M	1000	1200M	1000

## 56 Series - Split Housing Ramp Locking



	Male Mates with 1201 & 1202 OEM# 02962984		Female Mates with 1203 & 1200 OEM# 02962448	
Tab	Part#	Pcs	Part#	Pcs
.250	1203F	15	1201F	15
	1203C	100	1201C	100
	1203M	1000	1201M	1000

## Adapters

Tab	Part#	Pcs
.250	<b>ATC/ATO Fuse Power Tap</b>	
	1208H	10
	1208L	50
	1208C	100
.187	<b>Mini Fuse Power Tap</b>	
	1210H	10
	1210L	50
	1210C	100
.250	<b>Glass Fuse Power Tap</b>	
	1212H	19
	1212L	50
	1212C	100
.250	<b>.250 Tab to #10 Stud Ring</b>	
	1209H	21
	1209L	50
	1209C	100
.250	<b>Female to Double Male - Chair Adapter</b>	
	1206H	7
	1206L	50
	1206C	100
.250	<b>Female to Double Male - Flat Adapter</b>	
	1211H	16
	1211L	50
	1211C	100
.250	<b>M/FM/M Non-Insulated Piggyback Adapter</b>	
	1207H	12
	1207L	50
	1207C	100
.250	<b>Nylon Insulated - Double Male Adapter</b>	
	1214H	7
	1214L	50
	1214C	100

**Closed-End Wire Connectors**  
Joins Two to Four Wires

22-14 AWG		16-14 AWG		12-10 AWG	
Part#	Pcs	Part#	Pcs	Part#	Pcs
<b>Nylon Insulated</b>					
1216H	15	1215H	10	1217H	10
1216F	25	1215F	25	1217F	25
1216L	50	1215L	50	1217L	50
1216C	100	1215C	100	1217C	100
1216M	1000	1215M	1000	1217M	1000

**Heat Shrink Insulated-Crimp Seal**

4:1 Adhesive on inside melts down to protect wire from corrosion.  
Premium alternative to wire nut, twist connect or end-cap.

22-14 AWG Clear/Blue Dash		18-10 AWG Clear/Yellow Dash	
Part#	Pcs	Part#	Pcs
2273J	5	2274J	5
2273F	10	2274F	10
2273FPB	25	2274FPB	25
2273L	50	2274L	50
2273C	100	2274C	100
2273M	1000	2274M	1000

**High Temperature - Ceramic Twist Connectors**

Continuous Operating Temp. is Rated 1000°F (537°C)

22-14 AWG		22-10 AWG		18-8 AWG	
Part#	Pcs	Part#	Pcs	Part#	Pcs
91118F	25	91119F	25	91120F	25
91118L	50	91119L	50	91120L	50
91118C	100	91119C	100	91120C	100
91118M	1000	91119M	1000	91120M	1000

**T-Tap Splice Connectors**



22-18 AWG Red Mate with 2115		16-14 AWG Blue Mate with 2117		12-10 AWG Ylw Mate with 2119	
Part#	Pcs	Part#	Pcs	Part#	Pcs
1229H	8	1230H	8	1231H	5
1229P	25	1230P	25	1231P	25
1229F	50	1230F	50	1231F	50
1229C	100	1230C	100	1231C	100
1229D	500	1230D	500	1231D	500

**Premium Vinyl Twist Connectors**



22-12 AWG Tan/Yellow Max 3#12 / Min 2#22		18-8 AWG Red/Yellow Max 5#12 / Min 2#18		14-8 AWG Blue/Gray Max 3#8 / Min 4#14	
Part#	Pcs	Part#	Pcs	Part#	Pcs
1222H	6	1223B	4	1226F	3
1222P	25	1223P	25	1226P	25
1222L	50	1223L	50	1226L	50
1222C	100	1223C	100	1226C	100
1222D	500	1223D	500	1226D	500

**5021F Pocket Torch w/ Angled Head**



- Torch is pre-filled with butane.
- Produces flame temperature up to 1,315°C (2,400°F).

**5051F Super Blast Torch**



- Butane NOT supplied with torch.
- Gas chamber holds 64ml.
- Use 5050F butane gas container to fill torch.

See pages 145-146 for more detailed information on torches

**Insulation Displacement Telecom Connectors Sealant Filled**



22-26 AWG Ylw 2-Wire (UY)		19-26 AWG Grn 2-Wire (UG)		19-26 AWG Red 3-Wire (UR)	
Part#	Pcs	Part#	Pcs	Part#	Pcs
20507H	4	20503H	4	20506H	4
20507F	25	20503F	25	20506F	25
20507L	50	20503L	50	20506L	50
20507C	100	20503C	100	20506C	100
20507M	1000	20503M	1000	20506M	1000

**Quick Splice Connectors**



22-16 AWG Red w/Stop		18-14 AWG Blue w/Stop		18-14 AWG White No Stop		12-10 AWG Yellow w/Stop		18-10 AWG Brown w/Stop	
Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs
1220-2H	6	1220H	6	1220-1H	6	1219H	4	1218H	3
1220-2P	25	1220P	25	1220-1P	25	1219P	25	1218P	25
1220-2F	50	1220F	50	1220-1F	50	1219F	50	1218F	50
1220-2C	100	1220C	100	1220-1C	100	1219C	100	1218C	100
1220-2D	500	1220D	500	1220-1D	500	1219D	500	1218D	500

**Twist Connectors**



22-16 AWG Gray Max 2#16 Min 1#20 + 1#22		22-14 AWG Blue Max 3#16 Min 2#22		22-14 AWG Org Max 3#16 + 1#18 Min 3#22		18-12 AWG Ylw Max 2#14 + 3#16 Min 1#14 + 1#18		18-10 AWG Red Max 3#10 Min 1#12 + 2#8	
Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs	Part#	Pcs
71H	10	72H	10	73H	9	74H	10	76H	5
71P	25	72P	25	73P	25	74P	25	76P	25
71F	50	72F	50	73F	50	74F	50	76F	50
71C	100	72C	100	73C	100	74C	100	76C	100
71D	500	72D	500	73D	500	74D	500	76D	500

# Terminals

## Combination Packs

### 56 Series-Split Disconnects & Housing Assortments

#### 1204B Female Split Disconnect & Housing Kit | 1 Set

Part#	Description	Pcs
1200	18-14 AWG .250 Tab Brass FM Disconnect	1
1201	.250 Tab Split White FM Housing	1

Kit is in a re-closable container



#### 1204F Female Split Disconnect & Housing Kit | 7 Sets

Part#	Description	Pcs
1200	18-14 AWG .250 Tab Brass FM Disconnects	7
1201	.250 Tab Split White FM Housings	7

Kit is in a re-closable container



#### 1205B Male Split Disconnect & Housing Kit | 1 Set

Part#	Description	Pcs
1202	18-14 AWG .250 Tab Tin-Plated Brass M Disconnect	1
1203	.250 Tab Split Natural M Housing	1

Kit is in a re-closable container



#### 1205F Male Split Disconnect & Housing Kit | 7 Sets

Part#	Description	Pcs
1202	18-14 AWG .250 Tab Tin-Plated Brass M Disconnect	7
1203	.250 Tab Split Natural M Housing	7

Kit is in a re-closable container



## Combination Packs

### Bullet & Receptacle Assortments

#### 1221B Vinyl Bullet & 3M Receptacle Kit | 1 Set

Part#	Description	Pcs
2111	16-14 AWG .157 Tab Bullet	1
1221	3M 16-14 AWG .157 Tab Inline Receptacle	1

Kit is in a re-closable container



#### 2149B Vinyl Bullet & Receptacle Kit | 2 Sets

Part#	Description	Pcs
2125	22-18 AWG .157 Tab Bullets	2
2124	22-18 AWG .157 Tab Receptacles	2

Kit is in a re-closable container



## Combination Packs

### Vinyl Ring Assortments

#### 2150H 22-18 AWG Vinyl Ring Kit | 19 Pcs.

Part#	Description	Pcs
2000	22-18 AWG #6 Stud Rings	6
2001	22-18 AWG #8 Stud Rings	5
2002	22-18 AWG #10 Stud Rings	6
2003	22-18 AWG 1/4" Stud Rings	2

Kit is in a re-closable container



#### 2151H 16-14 AWG Vinyl Ring Kit | 19 Pcs.

Part#	Description	Pcs
2006	16-14 AWG #6 Stud Rings	6
2007	16-14 AWG #8 Stud Rings	5
2008	16-14 AWG #10 Stud Rings	6
2009	16-14 AWG 1/4" Stud Rings	2

Kit is in a re-closable container



#### 2148H 12-10 AWG Vinyl Ring Kit | 12 Pcs.

Part#	Description	Pcs
2013	12-10 AWG #8 Stud Rings	3
2014	12-10 AWG #10 Stud Rings	4
2015	12-10 AWG 1/4" Stud Rings	3
2016	12-10 AWG 5/16" Stud Rings	2

Kit is in a re-closable container



Terminals  
in these  
kits available  
separately  
The complete line  
starts on page 3

#### 2149H Vinyl Bullet & Receptacle Kit | 7 Sets

Part#	Description	Pcs
2125	22-18 AWG .157 Tab Bullets	7
2124	22-18 AWG .157 Tab Receptacles	7

Kit is in a re-closable container



#### 2159B Vinyl Bullet & Receptacle Kit | 2 Sets

Part#	Description	Pcs
2111	16-14 AWG .157 Tab Bullets	2
2112	16-14 AWG .157 Tab Receptacles	2

Kit is in a re-closable container



#### 2159H Vinyl Bullet & Receptacle Kit | 7 Sets

Part#	Description	Pcs
2111	16-14 AWG .157 Tab Bullets	7
2112	16-14 AWG .157 Tab Receptacles	7

Kit is in a re-closable container



**Combination Packs**  
Vinyl Terminal Assortments

**2152H 22-18 AWG Vinyl Terminal Kit | 19 Pcs.**

Part#	Description	Pcs
2000	22-18 AWG #6 Stud Rings	4
2002	22-18 AWG #10 Stud Rings	4
2050	22-18 AWG #6 Stud Spades	3
2052	22-18 AWG #10 Stud Spades	4
2060	22-18 AWG Butt Connectors	4

Kit is in a re-closable container



**2154H 12-10 AWG Vinyl Terminal Kit | 14 Pcs.**

Part#	Description	Pcs
2012	12-10 AWG #6 Stud Rings	2
2014	12-10 AWG #10 Stud Rings	2
2015	12-10 AWG 1/4" Stud Rings	2
2058	12-10 AWG #10 Stud Spades	4
2062	12-10 AWG Butt Connectors	4

Kit is in a re-closable container



**2153H 16-14 AWG Vinyl Terminal Kit | 19 Pcs.**

Part#	Description	Pcs
2006	16-14 AWG #6 Stud Rings	4
2008	16-14 AWG #10 Stud Rings	4
2053	16-14 AWG #6 Stud Spades	3
2055	16-14 AWG #10 Stud Spades	4
2061	16-14 AWG Butt Connectors	4

Kit is in a re-closable container



**2157H 22-10 AWG Vinyl Terminal Kit | 16 Pcs.**

Part#	Description	Pcs
2006	16-14 AWG #6 Stud Rings	2
2008	16-14 AWG #10 Stud Rings	2
2014	12-10 AWG #10 Stud Rings	2
2055	16-14 AWG #10 Stud Spades	2
2058	12-10 AWG #10 Stud Spades	2
2060	22-18 AWG Butt Connectors	2
2061	16-14 AWG Butt Connectors	2
2062	12-10 AWG Butt Connectors	2

Kit is in a re-closable container



**Combination Packs**  
Butt Connector Assortments

**2156B Vinyl Butt Connector Kit | 4 Pcs.**

Part#	Description	Pcs
2060	22-18 AWG Butt Connectors	1
2061	16-14 AWG Butt Connectors	2
2062	12-10 AWG Butt Connectors	1

Kit is in a re-closable container



**2399F Heat Shrink-Crimp Seal Butt Connector Kit | 17 Pcs.**

Part#	Description	Pcs
2370	22-18 AWG CS Butt Connectors	6
2371	16-14 AWG CS Butt Connectors	8
2372	12-10 AWG CS Butt Connectors	3

Kit is in a re-closable container



**2156H Vinyl Butt Connector Kit | 17 Pcs.**

Part#	Description	Pcs
2060	22-18 AWG Butt Connectors	6
2061	16-14 AWG Butt Connectors	8
2062	12-10 AWG Butt Connectors	3

Kit is in a re-closable container



**2379F Heat Shrink-Solder Seal Butt Connector Kit | 9 Pcs.**

Part#	Description	Pcs
2370S	22-18 AWG SS Butt Connectors	3
2371S	16-14 AWG SS Butt Connectors	3
2372S	12-10 AWG SS Butt Connectors	3

Kit is in a re-closable container



**2169F Nylon Butt Connector Kit | 17 Pcs.**

Part#	Description	Pcs
2065	22-18 AWG Butt Connectors	6
2066	16-14 AWG Butt Connectors	8
2067	12-10 AWG Butt Connectors	3

Kit is in a re-closable container



**2255F Heat Shrink-Crimp & Solder Seal Butt Connector Kit | 9 Pcs.**

Part#	Description	Pcs
2242	22-18 AWG CSS Butt Connectors	3
2241	16-14 AWG CSS Butt Connectors	3
2240	12-10 AWG CSS Butt Connectors	3

Kit is in a re-closable container



# Terminals

## Combination Packs Disconnect Assortments

### 2155H 22-10 AWG Mixed Disconect Kit | 20 Pcs.

Part#	Description	Pcs
2103	22-18 AWG .250 Tab Vinyl M Disconnects	2
2102	22-18 AWG .250 Tab Vinyl FM Disconnects	2
2106	16-14 AWG .250 Tab Vinyl M Disconnects	2
2105	16-14 AWG .250 Tab Vinyl FM Disconnects	2
2108	12-10 AWG .250 Tab Vinyl M Disconnects	2
2107	12-10 AWG .250 Tab Vinyl FM Disconnects	2
2111	16-14 AWG .157 Tab Vinyl Bullets	2
2112	16-14 AWG .157 Tab Vinyl Receptacles	2
1207	.250 Tab M/FM/M Non-Insulated Piggyback Adapter	1
1211	.250 Tab Female to Double Male Flat Adapters	2
1214	.250 Tab Nylon Insulated Double Male Adapter	1

Kit is in a re-closable container

### 2155B 22-18 AWG Vinyl FM Disconect Kit | 6 Pcs.

Part#	Description	Pcs
2100	22-18 AWG .110 Tab FM Disconnects	2
2101	22-18 AWG .187 Tab FM Disconnects	2
2102	22-18 AWG .250 Tab FM Disconnects	2


Kit is in a re-closable container

## Push-On T-Tap Splice & Fully Insulated Nylon Male Disconnect Sets



22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Part#	Sets	Part#	Sets	Part#	Sets
2129B	1	2122B	1	2131B	1
2129H	4	2122H	4	2131H	2

## Push-On Fully Insulated Nylon Male & Female Disconnect Sets



22-18 AWG Red		16-14 AWG Blue		12-10 AWG Ylw	
Part#	Sets	Part#	Sets	Part#	Sets
2120B	2	2121B	2	2127B	1
2120H	5	2121H	5	2127H	3


## Combination Packs Twist Connect Assortments

### 2158H 22-12 AWG Twist Connect Kit | 12 Pcs.

Part#	Description	Pcs
72	22-14 AWG Blue Twist Connects	6
73	22-14 AWG Orange Twist Connects	4
74	18-12 AWG Yellow Twist Connects	2

Kit is in a re-closable container

### 6985F 22-10 AWG Twist Connect Kit | 50 Pcs.



Part#	Description	Pcs
71	22-16 AWG Gray Twist Connects	10
72	22-14 AWG Blue Twist Connects	10
73	22-14 AWG Orange Twist Connects	10
74	18-12 AWG Yellow Twist Connects	10
76	18-10 AWG Red Twist Connects	10

Kit is in a re-closable container

### 1258F 22-8 AWG Premium Twist Connect Kit | 7 Pcs.



Part#	Description	Pcs
1222	22-12 AWG Tan/Yellow Premium Twist Connects	4
1223	18-8 AWG Red/Yellow Premium Twist Connects	2
1226	14-8 AWG Blue/Gray Premium Twist Connects	1

Kit is in a re-closable container


## Compressor Lead Sets

- Sets include 3 heat shrink crimp seal (CS) Butt Connectors. (JT&T part# 2372).

Part#	Tab	Gauge	Sets
2520F	.250	10	3



Part#	Stud	Gauge	Sets
2521F	.250	10	3



**6976F Heat Shrink Crimp Seal Terminal Kit | 75 Pcs.**

- Use 5023F tool to crimp heat shrink terminals - see page 150
- See pages 145-146 for torches or heat gun, to shrink & seal heat shrink terminals.



**Heat Shrink Crimp Seal Terminal Kit**

- Large assortment of rings, spades, disconnects and butt connectors, all right at your fingertips.
- Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal.

Part#	Description	Pcs
2301	22-18 AWG #8 Stud Rings	4
2302	22-18 AWG #10 Stud Rings	5
2303	22-18 AWG 1/4" Stud Rings	5
2350	22-18 AWG #6 Stud Spades	2
2351	22-18 AWG #8 Stud Spades	2
2370	22-18 AWG Butt Connectors	5
2307	16-14 AWG #8 Stud Rings	3
2308	16-14 AWG #10 Stud Rings	5
2309	16-14 AWG 1/4" Stud Rings	4
2354	16-14 AWG #8 Stud Spades	3
2355	16-14 AWG #10 Stud Spades	3
2371	16-14 AWG Butt Connectors	5
2376	16-14 AWG .250 FI M Disconnects	4
2375	16-14 AWG .250 FI M Disconnects	4
2313	12-10 AWG #8 Stud Rings	3
2314	12-10 AWG #10 Stud Rings	3
2315	12-10 AWG 1/4" Stud Rings	3
2357	12-10 AWG #8 Stud Spades	2
2358	12-10 AWG #10 Stud Spades	2
2372	12-10 AWG Butt Connectors	4
2378	12-10 AWG .250 FI M Disconnects	2
2377	12-10 AWG .250 FI M Disconnects	2
6015	8 Compartment Re-Closable Plastic Kit	

**6977F Heat Shrink Solder Seal Terminal Kit | 60 Pcs.**

- Use 5023F tool to crimp heat shrink terminals - see page 150
- See pages 145-146 for torches or heat gun, to shrink & seal heat shrink terminals.



**Heat Shrink Solder Seal Terminal Kit**

- A soldered electrical connection provides superior current flow.
- Pre-fluxed, low melt solder delivers excellent tensile strength.
- Waterproof seal.

Part#	Description	Pcs
2301S	22-18 AWG #8 Stud Rings	3
2302S	22-18 AWG #10 Stud Rings	3
2303S	22-18 AWG 1/4" Stud Rings	3
2352S	22-18 AWG #10 Stud Spades	4
2370S	22-18 AWG Butt Connectors	4
2307S	16-14 AWG #8 Stud Rings	3
2308S	16-14 AWG #10 Stud Rings	3
2310S	16-14 AWG 5/16" Stud Rings	3
2355S	16-14 AWG #10 Stud Spades	4
2371S	16-14 AWG Butt Connectors	4
2365S	16-14 AWG .250 FM Disconnects	3
2366S	16-14 AWG .250 M Disconnects	3
2314S	12-10 AWG #10 Stud Rings	3
2315S	12-10 AWG 1/4" Stud Rings	3
2316S	12-10 AWG 5/16" Stud Rings	3
2358S	12-10 AWG #10 Stud Spades	3
2372S	12-10 AWG Butt Connectors	4
2367S	12-10 AWG .250 FM Disconnects	2
2368S	12-10 AWG .250 M Disconnects	2
6015	8 Compartment Re-Closable Plastic Kit	