

# New Products



## Tinned Marine Wire

100% Copper, True to Gauge, NOT "CCA" wire, Made in the USA.

UL/CSA Listed, single conductor tinned wire is ideal for use in the highly corrosive environment of marine applications. Special electro-tinned copper strands also increases protection against corrosion on recreational vehicles, autos, trucks, trailers and agricultural equipment. Tinned copper stranding is extremely flexible for easy routing through marine applications and easier to solder than bare copper. High voltage tolerance of 600V adds versatility to its use in many applications.

UL LISTED - MEETS DOT AND COAST GUARD SPECS FOR ELECTRICAL SYSTEMS



Part #	Description	Qty.
600-609(F/C)	10 GA Marine Wire, 5 colors	8FT/100FT
620-629(F/C)	12 GA Marine Wire, 5 colors	12FT/100FT
640-649(F/C)	14 GA Marine Wire, 5 colors	15FT/100FT
660-669(F/C)	16 GA Marine Wire, 5 colors	20FT/100FT



## Triple Sealed Switches

New Triple Sealed Switches offer the best protection for those applications exposed to the elements like farm equipment, boats, and side by sides.

Part #	Description	Qty.
2638F	Triple Sealed Toggle Switch, On/Off	1 Pc.
2634F	Triple Sealed Toggle Switch, On/Off/On	1 Pc.
2639F	Triple Sealed Toggle Switch, Momentary, (On)/Off	1 Pc.



## Economy Booster Cables

Copper Clad Aluminum Booster Cables offer a low cost option for emergency use booster cables. PVC insulated. Note: Professional Grade Booster Cables are also available.

Part #	Description	Qty.
3566F	20FT, 4GA Booster Cable CCA	1 Set
3567F	16FT, 6GA Booster Cable CCA	1 Set
3569F	12FT, 10GA Booster Cable CCA	1 Set



# New Products

## **Semi Rigid 'F6' Split Wrap**

Unique split, semi-rigid braided construction makes this wire loom the ideal solution for situations where ease of installation is of primary importance.

The lateral split allows the tube to open up to accommodate a wide variety of bundling requirements, and the semi-rigid braid configuration simply closes around the entire installation without the need for any additional fasteners (velcro, tape, etc.)

F6 will bend to a tight radius without distorting or splitting open and, unlike full rigid tubing, will not impair or affect the flexibility of harnesses. F6 allows for the addition or removal of wires without disassembly.

Part #	Description	Qty.
4254-200/75/10-0	1/4" Braided Semi Rigid F6 Split Wrap	200/100/10FT
4255-150/75/10-0	3/8" Braided Semi Rigid F6 Split Wrap	150/75/10FT
4256-100/50/10-0	1/2" Braided Semi Rigid F6 Split Wrap	150/75/10FT
4257-100/50/5-0	3/4" Braided Semi Rigid F6 Split Wrap	100/50/5FT
4258-100/25/5-0	1" Braided Semi Rigid F6 Split Wrap	100/50/5FT



## **Relay Installation Kit**

This kit includes all the items necessary to install a relay upgrade to control an automotive accessory. Included heat shrink terminals ensure a secure, sealed connection. PN 2843F



## **Weather Pack Project Kits**

Weather Packs are used in many GM vehicles as well as other equipment including tractors. These kits include all the pieces necessary to make one connection - eliminating the need to look up or stock individual parts.

Part #	Description	Qty.
2231F	Weather Pack Single Cavity Project Kit, 2 sets	1 Kit
2232F	Weather Pack Two Cavity Project Kit	1 Kit
2233F	Weather Pack Three Cavity Project Kit	1 Kit
2236F	Weather Pack Four Cavity Project Kit	1 Kit
2237F	Weather Pack Five Cavity Project Kit	1 Kit
2238F	Weather Pack Six Cavity Project Kit	1 Kit



## **Deutsch Style Amphenol AT Connector Kits**

Amphenol AT connectors are fully compatible with Deutsch DT connectors. These are a fantastic way to make secure, sealed, detachable connections. Available in 2, 3, 4, and 6 wire project kits. 160 Kit also available

Part #	Description	Qty.
2990F	2-Wire Deutsch Style Amphenol AT Connector Project Kit	1 Kit
2991F	3-Wire Deutsch Style Amphenol AT Connector Project Kit	1 Kit
2992F	4-Wire Deutsch Style Amphenol AT Connector Project Kit	1 Kit
2993F	6-Wire Deutsch Style Amphenol AT Connector Project Kit	1 Kit
6965F	160 Pc Deutsch DT Style Connector Kit	1 Kit





# New Products



## **Wire Loom Feed Tool**

If you've ever installed a long section of split loom, you know it can be time consuming and tough on your fingers. These new wire loom feed tools make the job quicker and easier. Can be used with 'Split Loom-Flex Guard' and any other split tubing/wrap sized from 1/4" through 1-1/2".

Part #	Description	Qty.
5060F	1/4" & Up Wire Loom Feed Tool	1 Pc.
5061F	1/2" & Up Wire Loom Feed Tool	1 Pc.
5062F	3/4" & Up Wire Loom Feed Tool	1 Pc.



## **Thermashield T6 Wrap**

ThermashieldT6 is designed for ease of installation. Just wrap the pre-formed, split flexible tube around any component and seal the sides with the high temperature adhesive strip to provide protection from hot pipes and engine components. The highly reflective aluminized exterior, combined with the insulating fiberglass interior, protects delicate wire bundles, cables and lines from damage caused heat generating components. T6 can reduce the heat transmission into hoses or harnesses by up to 50% or more.

**COMING SOON**

## **SXL Wire - including shorter cuts**

In addition to our standard automotive Primary Wire, JT&T now offers a full selection of SXL wire in 100ft spools and consumer friendly clamshells. SXL wire features a higher grade of cross linked insulation that is more resistant to heat, abrasion and chemicals.



Part #	Description	Qty.
100X-109X(F/C)	10 GA SXL Wire, 5 colors	8FT/100FT
120X-129X(F/C)	12 GA SXL Wire, 8 colors	12FT/100FT
140X-149X(F/C)	14 GA SXL Wire, 9 colors	15FT/100FT
160X-169X(F/C)	16 GA SXL Wire, 10 colors	20FT/100FT
180X-189X(F/C)	18 GA SXL Wire, 6 colors	30FT/100FT
190X-199X(F/C)	20 GA SXL Wire, 9 colors	40FT/100FT

## **Fuse Panel Add-A-Circuit pigtails**

These adapters are a clean, professional way to add an additional fused circuit to a fuse panel. Available in ATC/ATO, Mini and Micro fuse versions.



Part #	Description	Qty.
2483F	10 AMP ATC/ATO Fuse Circuit Connector Addition	1 Pc.
2484F	10 AMP Mini Fuse Circuit Connector Addition	1 Pc.
2485F	10 AMP Micro2 Fuse Circuit Connector Addition	1 Pc.



# New Products

## Manual Reset Automotive Breakers

Manual Reset (Type III) Breakers - High Amp - Waterproof - Surface Mount  
 Conforms to SAE J162S; SAE J1171 (Ignition Protected) standard. 25A - 200A 42 VDC Maximum



Part #	Description	Qty.
2790F	50 Amp Manual Reset Automotive Breaker, Waterproof	1 Pc.
2791F	80 Amp Manual Reset Automotive Breaker, Waterproof	1 Pc.
2792F	100 Amp Manual Reset Automotive Breaker, Waterproof	1 Pc.
2793F	150 Amp Manual Reset Automotive Breaker, Waterproof	1 Pc.

## ANE/ANL Fuses and Holders

Fast Acting / Open Link Design. A cost-effective fuse for use in high power DC, forklift, marine and other large battery application. Terminals are gold plated to prevent corrosion to provide superior contact.



Part #	Description	Qty.
2476F	ANL/ANE/ANF Type Fuse Holder, 400A	1
60-1100	100A ANE/ANL Fuse	1
60-1150	150A ANE/ANL Fuse	1
60-1200	200A ANE/ANL Fuse	1
60-1250	250A ANE/ANL Fuse	1
60-1300	300A ANE/ANL Fuse	1



## MEGA Type Fuses and Holders

Fast Acting / Open Link Design. For high amperage applications



Part #	Description	Qty.
2477F	MEGA Type Fuse Holder	1
40-1100	100A MEGA Type Fuse	1
40-1150	150A MEGA Type Fuse	1
40-1200	200A MEGA Type Fuse	1
40-1250	250A MEGA Type Fuse	1
40-1300	300A MEGA Type Fuse	1

## Self Fusing Silicone Tape

JT&T's Silicone Rubber Tape is an improved wrapping tape extruded of high performance silicone rubber suitable wherever a tough, permanently resilient, void-free insulation is required. The silicone rubber tape is self-adhering and self-fusing, curing in 24 hours at room temperature. Great for use on battery cables.



Part #	Description	Qty.
8111F	Self Fusing Silicone Tape, 10ft roll, Black	100pcs
20510C	Dolphin Super B Connector w/o Sealant White, Qty 100	100pcs





# New Products



## **Auto Reset Automotive Breakers**

Single pole thermal type breakers which are used in 12VDC or 24VDC circuits. Applications include trucks, buses, portable generators, recreational vehicles, trolling motors and others. Conforms to SAE J553 standard.

Part #	Description	Qty.
2794F	30 Amp, Auto Reset Automotive Breaker	1
2795F	40 Amp, Auto Reset Automotive Breaker	1
2796F	50 Amp, Auto Reset Automotive Breaker	1

## **Battery Connector Terminal Kits**

Battery Connectors allow the easy connection and disconnection of higher draw accessories like winches - and are used for quick charging of electrical equipment like forklifts. For 50 amp through 175 amp applications that use 12 through 1/0 gauge wire. The clever housings are both the 'male' and the 'female' parts of the connection. Sold in kits that include all parts necessary to make one connection.



Part #	Description	Qty.
3920F	12-10 AWG 50 AMP Grey Battery Cable Connector Kit	1 Kit
3921F	6 AWG 50 AMP Grey Battery Cable Connector Kit	1 Kit
3922F	6 AWG 120 AMP Grey Battery Cable Connector Kit	1 Kit
3923F	4 AWG 120 AMP Grey Battery Cable Connector Kit	1 Kit
3924F	2 AWG 120 AMP Grey Battery Cable Connector Kit	1 Kit
3925F	4 AWG 175 AMP Grey Battery Cable Connector Kit	1 Kit
3926F	2 AWG 175 AMP Grey Battery Cable Connector Kit	1 Kit
3927F	1/0 AWG 175 AMP Grey Battery Cable Connector Kit	1 Kit



## **7 Way Trailer Plugs**

JT&T now offers 7 way trailer side and vehicle side plugs. A 4' 7-way cord is also available, which is ideal for those installing a 5th wheel system.

Part #	Description	Qty.
2506-1F	7-Blade FM (Vehicle End) Trailer Connector	1 Pc.
2506-2F	7-Blade M (Trailer End) Trailer Connector	1 Pc.
2506-3F	4' Pigtail Wiring Harness. For 7-Pole RV Socket. (Mates: JT&T #2506-1F)	1 Pc.



## **ATC/ATO Fuse Block with LED Indicator**

Fuse Block for regular automotive blade-type fuses that includes LED Indicators for easy open fuse indication.

Part #	Description	Qty.
2451F	4 Position ATC/ATO Fuse Block with LED Indicator Light	1
2455F	6 Position ATC/ATO Fuse Block with LED Indicator Light	1



# New Products

## **Carling Style Rocker Switches**

Carling Style rocker switches are popular with vehicle hobbyists. They are commonly used in marine, RV, and 4x4 applications. These switches are suitable for heavy duty use and are sealed against the elements. We now offer a wide range of LED colors in common configurations. Label kits and mounting panels are also available.



Part #	Description	Qty.
2712F	Red LED Rocker S.P.S.T. (Carling Style)	1 Pc.
2714F	Green LED Rocker S.P.S.T. (Carling Style)	1 Pc.
2716F	Blue LED Rocker S.P.S.T. (Carling Style)	1 Pc.
2717F	Amber LED Rocker S.P.S.T. (Carling Style)	1 Pc.
2710F	Black Rocker S.P.S.T. (Carling Style)	1 Pc.
2722F	Red LED Rocker S.P.D.T. On/Off/On (Carling Style)	1 Pc.
2726F	Blue LED Rocker S.P.S.T. Mom. Off/On (Carling Style)	1 Pc.
2727F	Amber LED Rocker D.P.D.T. On/Off/On (Carling Style)	1 Pc.
2720F	Black Rocker S.P.D.T. On/Off/On (Carling Style)	1 Pc.
2730F	Black Rocker S.P.S.T. Mom. Off/On (Carling Style)	1 Pc.
2740F	Black Rocker D.P.D.T. On/Off/On (Carling Style)	1 Pc.
2733F	Switch Actuator / Panel Removal Tool (Carling Style)	1 Pc.
2736F	RV / 4x4 / Marine Switch Label Kit	1 Set
2957F	Carling Switch Panel Mount - (2) Hole (2-Middle Sections)	1 Pc.
2958F	Carling Switch Panel Mount - (4) Hole (2-End Sections / 2-Middle Sections)	1 Pc.

## **Auto Power Receptacles**

These Auto Power Receptacles include everything you need to add an additional 12V power outlet to a vehicle. PN 2989F



## **8 - 4/0 AWG Heavy Duty Crimper**

Professional quality, heavy duty crimper tool that can handle a wide range of heavy gauge wire and battery cable. Ideal for crimping copper lugs. PN 5041F



## **Dolphin Closed End Connectors**

Dolphin Super B Connectors provide the industry's most reliable connection with their unique design and tine structure. They reduce costs, won't corrode and no stripping is required. They also allow for connection testing without stripping wires for faster installations with less clean-up time. Accepts 16-24 gauge wires. Works with standard crimp tool.



Part #	Description	Qty.
20511C	Dolphin Super B Connector w/Sealant Blue, Qty 100	100pcs
20510C	Dolphin Super B Connector w/o Sealant White, Qty 100	100pcs



# New Products

## **Expanded Selection of Vinyl Caps**

Vinyl caps can be used to protect threads from damage, or mask them during painting. They are also used to cover sharp or abrasive ends. We now offer an expanded selection of vinyl caps in popular sizes up to 3" diameter. Currently available sizes also include 1/8", 3/16", 1/4", 5/16", 3/8", and 1/2".



Part #	Description	Qty.
4840F	3/4" I.D. Black Vinyl Vacuum Caps	5 Pcs.
4841F	1-1/4" I.D. Black Vinyl Vacuum Caps	3 Pcs.
4842F	1-5/8" I.D. Black Vinyl Vacuum Caps	3 Pcs.
4843F	2" I.D. Black Vinyl Vacuum Caps	2 Pcs.
4844F	2-1/2" I.D. Black Vinyl Vacuum Caps	2 Pcs.
4845F	3" I.D. Black Vinyl Vacuum Caps	2 Pcs.
*** Also Available in Bulk Quantities***		



## **HVAC Screw Kits**

Screw kits commonly used by HVAC technicians. Needle point and self drilling options.

Part #	Description	Qty.
6994F	Needle Point Sheet Metal Screw Asst, 250 pcs	250pc kit
6995F	Self Drilling Sheet Metal Screw Asst, 200 pcs	200pc kit

## **Non-Insulated / High Temp Terminal Tool**

High temp terminals are very difficult to crimp with a standard crimping tool. This new tool features increased leverage and ratcheting action to ensure good crimps on all non insulated terminals. PN 5019F



## **Multi Purpose Cut/Strip/Crimp Tool**

Every home or automotive hobbist needs this basic tool in their toolbox. Used by electricians, HVAC techs, and auto mechanics. PN 5009F



## **Male H4 Pigtail**

Mates to the 2788F and 2789F - leads are approx. 6" long. PN 2788-3F



**Is there a product you think we should offer? Let us know!**  
**sales@jttproducts.com - 775-322-7000**