

New Products



Fuse Kits

A great way to ensure you have a good selection of fuses on hand. Popular with service shops and RV / Overland enthusiasts.



| Part # | Description | Qty. |
|--------|------------------------|-------|
| 6950F | ATC Fuse Kit | 1 Kit |
| 6951F | Indicator ATC Fuse Kit | 1 Kit |
| 6952F | Mini Fuse Kit | 1 Kit |
| 6953F | Micro2 Fuse Kit | 1 Kit |
| 6954F | Maxi Fuse Kit | 1 Kit |

Grommet Kit

An assortment of quality rubber grommets from 1/4" through 1" - PN 6979F



Thread Protector Kit

Used as thread protectors for painting/powdercoating or when shipping items, also used as vacuum caps for automotive accessory systems. PN 6980F



Wire Clamp Kit

A variety of rubber insulated steel wire and cable clamps in a handy plastic organizer case. PN 6981F



Wire & Rack Bundles

The 'easy button' for outfitting a shop or garage with an full selection of wire. Includes our US made, 100% Copper Primary Wire and a 4 rod metal, wall-mountable rack system. PN 8000WR (20 spool/rack bundle) and 8001WR (27 spool/rack bundle)





New Products

Semi Rigid 'F6' Split Wrap

Unique split, semi-rigid braided construction makes this wire loom the ideal solution for situations where ease of installation is of primary importance.

F6 will bend to a tight radius without distorting or splitting open and, unlike full rigid tubing, will not impair or affect the flexibility of harnesses. F6 allows for the addition or removal of wires without disassembly.



| Part # | Description | Qty. |
|------------------|---------------------------------------|--------------|
| 4254-200/75/10-0 | 1/4" Braided Semi Rigid F6 Split Wrap | 200/100/10FT |
| 4255-150/75/10-0 | 3/8" Braided Semi Rigid F6 Split Wrap | 150/75/10FT |
| 4256-100/50/10-0 | 1/2" Braided Semi Rigid F6 Split Wrap | 150/75/10FT |
| 4257-100/50/5-0 | 3/4" Braided Semi Rigid F6 Split Wrap | 100/50/5FT |
| 4258-100/25/5-0 | 1" Braided Semi Rigid F6 Split Wrap | 100/50/5FT |

Wire Loom Feed Tool

If you've ever installed a long section of split loom, you know it can be time consuming and tough on your fingers. These new wire loom feed tools make the job quicker and easier. Can be used with 'Split Loom-Flex Guard' and any other split tubing/wrap sized from 1/4" through 1-1/2".



| Part # | Description | Qty. |
|--------|-------------------------------|-------|
| 5060F | 1/4" & Up Wire Loom Feed Tool | 1 Pc. |
| 5061F | 1/2" & Up Wire Loom Feed Tool | 1 Pc. |
| 5062F | 3/4" & Up Wire Loom Feed Tool | 1 Pc. |

Thermashield T6 Wrap

ThermashieldT6 is designed for ease of installation. Just wrap the pre-formed, split flexible tube around any component and seal the sides with the high temperature adhesive strip to provide protection from hot pipes and engine components. T6 can reduce the heat transmission into hoses or harnesses by up to 50% or more. 2' options listed below, but also available in 4', 8', and assortments



| Part # | Description | Qty. |
|-----------|---|------|
| 4203F-T6W | 1/4" Thermashield Split Adhesive Wrap | 2FT |
| 4204F-T6W | 3/8" Thermashield Split Adhesive Wrap | 2FT |
| 4205F-T6W | 1/2" Thermashield Split Adhesive Wrap | 2FT |
| 4206F-T6W | 5/8" Thermashield Split Adhesive Wrap | 2FT |
| 4207F-T6W | 3/4" Thermashield Split Adhesive Wrap | 2FT |
| 4208F-T6W | 1" Thermashield Split Adhesive Wrap | 2FT |
| 4208F-T6W | 1-1/4" Thermashield Split Adhesive Wrap | 2FT |
| 4210F-T6W | 1-1/2" Thermashield Split Adhesive Wrap | 2FT |
| 4211F-T6W | 2" Thermashield Split Adhesive Wrap | 2FT |

10GA Wire in 50ft Spools

By popular demand, 10GA Primary Wire in an more convenient 50ft spool. 10 colors available.





New Products

Weather Pack Project Kits

Weather Packs are used in many GM vehicles as well as other equipment including tractors. These kits include all the pieces necessary to make one connection - eliminating the need to look up or stock individual parts.



| Part # | Description | Qty. |
|--------|--|-------|
| 2231F | Weather Pack Single Cavity Project Kit, 2 sets | 1 Kit |
| 2232F | Weather Pack Two Cavity Project Kit | 1 Kit |
| 2233F | Weather Pack Three Cavity Project Kit | 1 Kit |
| 2236F | Weather Pack Four Cavity Project Kit | 1 Kit |
| 2237F | Weather Pack Five Cavity Project Kit | 1 Kit |
| 2238F | Weather Pack Six Cavity Project Kit | 1 Kit |

Deutsch Style Amphenol AT Connector Kits

Amphenol AT connectors are fully compatible with Deutsch DT connectors. These are a fantastic way to make secure, sealed, detachable connections. Available in 2, 3, 4, and 6 wire project kits. 160 Kit also available



| Part # | Description | Qty. |
|--------|--|-------|
| 2990F | 2-Wire Deutsch Style Amphenol AT Connector Project Kit | 1 Kit |
| 2991F | 3-Wire Deutsch Style Amphenol AT Connector Project Kit | 1 Kit |
| 2992F | 4-Wire Deutsch Style Amphenol AT Connector Project Kit | 1 Kit |
| 2993F | 6-Wire Deutsch Style Amphenol AT Connector Project Kit | 1 Kit |
| 6965F | 160 Pc Deutsch DT Style Connector Kit | 1 Kit |

Fuse Panel Add-A-Circuit pigtails

These adapters are a clean, professional way to add an additional fused circuit to a fuse panel. Available in ATC/ATO, Mini and Micro fuse versions.



| Part # | Description | Qty. |
|--------|--|-------|
| 2483F | 10 AMP ATC/ATO Fuse Circuit Connector Addition | 1 Pc. |
| 2484F | 10 AMP Mini Fuse Circuit Connector Addition | 1 Pc. |
| 2485F | 10 AMP Micro2 Fuse Circuit Connector Addition | 1 Pc. |

Manual Reset Automotive Breakers

Manual Reset (Type III) Breakers - High Amp - Waterproof - Surface Mount
Conforms to SAE J162S; SAE J1171 (Ignition Protected) standard. 25A - 200A 42 VDC Maximum



| Part # | Description | Qty. |
|--------|---|-------|
| 2790F | 50 Amp Manual Reset Automotive Breaker, Waterproof | 1 Pc. |
| 2791F | 80 Amp Manual Reset Automotive Breaker, Waterproof | 1 Pc. |
| 2792F | 100 Amp Manual Reset Automotive Breaker, Waterproof | 1 Pc. |
| 2793F | 150 Amp Manual Reset Automotive Breaker, Waterproof | 1 Pc. |



New Products

Tinned Marine Wire

100% Copper, True to Gauge, NOT "CCA" wire, Made in the USA.



UL/CSA Listed, single conductor tinned wire is ideal for use in the highly corrosive environment of marine applications. Special electro-tinned copper strands also increases protection against corrosion on recreational vehicles, autos, trucks, trailers and agricultural equipment. Tinned copper stranding is extremely flexible for easy routing through marine applications and easier to solder than bare copper. High voltage tolerance of 600V adds versatility to its use in many applications.

UL LISTED - MEETS DOT AND COAST GUARD SPECS FOR ELECTRICAL SYSTEMS

| Part # | Description | Qty. |
|--------------|-----------------------------|------------|
| 600-609(F/C) | 10 GA Marine Wire, 5 colors | 8FT/100FT |
| 620-629(F/C) | 12 GA Marine Wire, 5 colors | 12FT/100FT |
| 640-649(F/C) | 14 GA Marine Wire, 5 colors | 15FT/100FT |
| 660-669(F/C) | 16 GA Marine Wire, 5 colors | 20FT/100FT |

Triple Sealed Switches

New Triple Sealed Switches offer the best protection for those applications exposed to the elements like farm equipment, boats, and side by sides.



| Part # | Description | Qty. |
|--------|--|-------|
| 2638F | Triple Sealed Toggle Switch, On/Off | 1 Pc. |
| 2634F | Triple Sealed Toggle Switch, On/Off/On | 1 Pc. |
| 2639F | Triple Sealed Toggle Switch, Momentary, (On)/Off | 1 Pc. |

Economy Booster Cables

Copper Clad Aluminum Booster Cables offer a low cost option for emergency use booster cables. PVC insulated. Note: Professional Grade Booster Cables are also available.



| Part # | Description | Qty. |
|--------|------------------------------|-------|
| 3566F | 20FT, 4GA Booster Cable CCA | 1 Set |
| 3567F | 16FT, 6GA Booster Cable CCA | 1 Set |
| 3569F | 12FT, 10GA Booster Cable CCA | 1 Set |

HVAC Screw Kits

Screw kits commonly used by HVAC technicians. Needle point and self drilling options.



| Part # | Description | Qty. |
|--------|---|-----------|
| 6994F | Needle Point Sheet Metal Screw Asst, 250 pcs | 250pc kit |
| 6995F | Self Drilling Sheet Metal Screw Asst, 200 pcs | 200pc kit |

Is there a product you think we should offer? Let us know!
sales@jttproducts.com - 775-322-7000



New Products



ANE/ANL Fuses and Holders

Fast Acting / Open Link Design. A cost-effective fuse for use in high power DC, forklift, marine and other large battery application. Terminals are gold plated to prevent corrosion to provide superior contact.



| Part # | Description | Qty. |
|---------|------------------------------------|------|
| 2476F | ANL/ANE/ANF Type Fuse Holder, 400A | 1 |
| 60-1100 | 100A ANE/ANL Fuse | 1 |
| 60-1150 | 150A ANE/ANL Fuse | 1 |
| 60-1200 | 200A ANE/ANL Fuse | 1 |
| 60-1250 | 250A ANE/ANL Fuse | 1 |
| 60-1300 | 300A ANE/ANL Fuse | 1 |



MEGA Type Fuses and Holders

Fast Acting / Open Link Design. For high amperage applications



| Part # | Description | Qty. |
|---------|-----------------------|------|
| 2477F | MEGA Type Fuse Holder | 1 |
| 40-1100 | 100A MEGA Type Fuse | 1 |
| 40-1150 | 150A MEGA Type Fuse | 1 |
| 40-1200 | 200A MEGA Type Fuse | 1 |
| 40-1250 | 250A MEGA Type Fuse | 1 |
| 40-1300 | 300A MEGA Type Fuse | 1 |

Auto Power Receptacles

These Auto Power Receptacles include everything you need to add an additional 12V power outlet to a vehicle. PN 2989F



8 - 4/0 AWG Heavy Duty Crimper

Professional quality, heavy duty crimper tool that can handle a wide range of heavy guage wire and battery cable. Ideal for crimping copper lugs. PN 5041F



Is there a product you think we should offer? Let us know!
sales@jttproducts.com - 775-322-7000



New Products



Auto Reset Automotive Breakers

Single pole thermal type breakers which are used in 12VDC or 24VDC circuits. Applications include trucks, buses, portable generators, recreational vehicles, trolling motors and others. Conforms to SAE J553 standard.

| Part # | Description | Qty. |
|--------|---------------------------------------|------|
| 2794F | 30 Amp, Auto Reset Automotive Breaker | 1 |
| 2795F | 40 Amp, Auto Reset Automotive Breaker | 1 |
| 2796F | 50 Amp, Auto Reset Automotive Breaker | 1 |

Battery Connector Terminal Kits

Battery Connectors allow the easy connection and disconnection of higher draw accessories like winches - and are used for quick charging of electrical equipment like forklifts. For 50 amp through 175 amp applications that use 12 through 1/0 gauge wire. The clever housings are both the 'male' and the 'female' parts of the connection. Sold in kits that include all parts necessary to make one connection.



| Part # | Description | Qty. |
|--------|---|-------|
| 3920F | 12-10 AWG 50 AMP Grey Battery Cable Connector Kit | 1 Kit |
| 3921F | 6 AWG 50 AMP Grey Battery Cable Connector Kit | 1 Kit |
| 3922F | 6 AWG 120 AMP Grey Battery Cable Connector Kit | 1 Kit |
| 3923F | 4 AWG 120 AMP Grey Battery Cable Connector Kit | 1 Kit |
| 3924F | 2 AWG 120 AMP Grey Battery Cable Connector Kit | 1 Kit |
| 3925F | 4 AWG 175 AMP Grey Battery Cable Connector Kit | 1 Kit |
| 3926F | 2 AWG 175 AMP Grey Battery Cable Connector Kit | 1 Kit |
| 3927F | 1/0 AWG 175 AMP Grey Battery Cable Connector Kit | 1 Kit |



7 Way Trailer Plugs

JT&T now offers 7 way trailer side and vehicle side plugs. A 4' 7-way cord is also available, which is ideal for those installing a 5th wheel system.

| Part # | Description | Qty. |
|---------|---|-------|
| 2506-1F | 7-Blade FM (Vehicle End) Trailer Connector | 1 Pc. |
| 2506-2F | 7-Blade M (Trailer End) Trailer Connector | 1 Pc. |
| 2506-3F | 4' Pigtail Wiring Harness. For 7-Pole RV Socket. (Mates: JT&T #2506-1F) | 1 Pc. |



ATC/ATO Fuse Block with LED Indicator

Fuse Block for regular automotive blade-type fuses that includes LED Indicators for easy open fuse indication.

| Part # | Description | Qty. |
|--------|--|------|
| 2451F | 4 Position ATC/ATO Fuse Block with LED Indicator Light | 1 |
| 2455F | 6 Position ATC/ATO Fuse Block with LED Indicator Light | 1 |

Is there a product you think we should offer? Let us know!
sales@jttproducts.com - 775-322-7000